

ADJUSTABLE GROOVES CUTTERHEAD FOR TENONS 14-28MM (Z=4 + V=4)



€198,34 - €214,87 (excl. VAT)

Cutterhead with fixed blades and spurs in high quality carbide (HW) for making precision grooves. Adjustable in height between 14mm and 28mm by means of spacer rings. Spacer rings sold separately. Use this cutterhead also for milling tenons or for rabbeting. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards. Equipped with knives with dimensions 14x14mm.



Available in diameter 140mm or 150mm.

SKU: N/A

VARIATIONS

Image	SKU	Description diameter	Price
	3FR3928150301428	150mm	€214,87 (excl. VAT)
	3FR3928140301428	140mm	€198,34 (excl. VAT)

GALERIJAFBEELDINGEN



Cutterhead with fixed blades and spurs in high quality carbide (HW) for making precision grooves. Adjustable in height between 14mm and 28mm by means of spacer rings. Spacer rings sold separately. Use this cutterhead also for milling tenons or for rabbeting. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards. Equipped with knives with dimensions 14x14mm.

Available in diameter 140mm or 150mm.

PRODUCT INFORMATION

- For spindle moulder machines
- For making precision grooves and slots
 - For tenon milling
 - For rabbeting
- For laminated panels or MDF
 - Hard and soft wood

DESCRIPTION

Cutterhead with fixed blades and spurs in high quality carbide (HW) for making precision grooves. Adjustable in height between 14mm and 28mm by means of spacer rings. Spacer rings sold separately. Use this cutterhead also for milling tenons or for rabbeting. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards. Equipped with knives with dimensions 14x14mm. Available in diameter 140mm or 150mm.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	1 kg
---------------	------

diameter	140mm, 150mm
Shaft diameter	30 mm
Cutting edges	4
Number of teeth	4
Height of groove	14-28mm