

AIR FILTRATION SYSTEM AF150



€409,09 (excl. VAT)

The AF150 air filtration system effectively reduces the dust concentration in the room air. The device is suitable for rooms up to 55 m². The air in a room of that surface area is purified within 6 minutes. Simple operation with infrared remote control. Ceiling mounting.

SKU: AF-150S

GALERIJAFBEELDINGEN





The AF150 air filtration system effectively reduces the dust concentration in the room air. The device is suitable for rooms up to 55 m². The air in a room of that surface area is purified within 6 minutes.

The filter can be easily operated with the infrared remote control included as standard. Up to 98 % of all dust particles up to 5 microns and up to 85 % of all dust particles up to 1 micron are filtered. As a standard, the unit is mounted against the ceiling. The HEPA inner filter can be easily cleaned using compressed air. The unit is equipped with side handles.



PRODUCT INFORMATION

• Effective reduction of the dust concentration in the room air

• Suitable for spaces up to 55 m²

- Operation with remote control, which is supplied as a standard
- Up to 98% of the dust up to 5 microns and 85% of the dust up to 1 micron will be filtered
 - Ceiling mounting using the suspension hooks
 - Inner filter can be cleaned with compressed air
 - Fitted with side handles

DESCRIPTION

The AF150 air filtration system effectively reduces the dust concentration in the room air. The device is suitable for rooms up to 55 m². The air in a room of that surface area is purified within 6 minutes. The filter can be easily operated with the infrared remote control included as standard. Up to 98 % of all dust particles up to 5 microns and up to 85 % of all dust particles up to 1 micron are filtered. As a standard, the unit is mounted against the ceiling. The HEPA inner filter can be easily cleaned using compressed air. The unit is equipped with side handles.

No video available for this product!

DOWNLOADS

No download availble.

ADDITIONAL INFORMATION

Weight	30 kg
Dimensions	770 × 610 × 300 cm
Voltage	230 V
Input Power	150 W
Max. extraction flow rate	14 m³/min, 18 m³/min, 22 m³/min
Outer filter	5 microns



Inner filter

1 micron