

AIR FLUX AF6900MCZ2 DUST EXTRACTION ATEX - 400V



€5 .200,00 (excl. VAT)

Dust extractors according to ATEX standards and for use in zone 22. Where the requirements of companies or prevention advisers in workplace zone 22 want to comply with the ATEX standards, these European dust collectors are an affordable solution. These powerful series are offered with Atex motor, Atex electrical cabinet, Atex filters and all Atex earthing and with all necessary certificates.

There are 2 versions available: Model AF-3900-MCZ1 with 1 residual bag or Model AF-6900-MCZ2 with 2 residual bags. The residual bags also have zone 22 approval and are made of anti-static low density polyethylene 96x130 - 100 microns with the anti-static additive AMPACET 10053-A AS PE MB. According to the legislation, these residual bags should be used with ATAX dust extractors.

SKU: AF-6900MCZ2

GALERIJAFBEELDINGEN



Dust extractors according to ATEX standards and for use in zone 22. Where the requirements of companies or prevention advisers in workplace zone 22 want to comply with the ATEX standards, these European dust collectors are an affordable solution. These powerful series are offered with Atex motor, Atex electrical cabinet, Atex filters and all Atex earthing and with all necessary certificates.

There are 2 versions available: Model AF-3900-MCZ1 with 1 residual bag or Model AF-6900-MCZ2 with 2 residual bags. The residual bags also have zone 22 approval and are made of anti-static low density polyethylene 96x130 - 100 microns with the anti-static additive AMPACET 10053-A AS PE MB. According to the legislation, these residual bags should be used with ATAX dust extractors.

PRODUCT INFORMATION

- Complying with the ATEX standards
 - Complying with use zone 22
- Low-noise induction motor according to ATEX standards
 - Mobile
 - Solid construction

DESCRIPTION

Dust extractors according to ATEX standards and for use in zone 22. Where the requirements of companies or prevention advisers in workplace zone 22 want to comply with the ATEX standards, these European dust collectors are an affordable solution. These powerful series are offered with Atex motor, Atex electrical cabinet, Atex filters and all Atex earthing and with all necessary certificates. There are 2 versions available: Model AF-3900-MCZ1 with 1 residual bag or Model AF-6900-MCZ2 with 2 residual bags. The residual bags also have zone 22 approval and are made of anti-static low density polyethylene 96x130 - 100 microns with the anti-static additive AMPACET 10053-A AS PE MB. According to the legislation, these residual bags should be used with ATAX dust extractors.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	195 kg
Dimensions	180 × 63 × 264 cm
Motor	EX II 3GD -EX NTD A22 IP 55 T3 (155°C), 5.5 HP
Voltage	3 x 400V
Air Speed	6900 m ³ /u
Exhaust	300 mm