

## AIR FLUX DUSTY 3000AF DUST EXTRACTOR - 400V 2HP





**€483,47 (excl. VAT)**

The Dusty 3000AF dust extractor has a fibre filter bag at the top that stops fine dust particles. Optionally there is also a Canister filter cartridge available that further purifies the air up to 0.5µm. This dust collector is equipped with a 2 HP induction motor with alu protection cap delivering an air flow of 2550m<sup>3</sup>/hour. Thanks to the wheeled base, the vacuum can easily be used throughout the entire workshop.

The turbine is equipped with a steel propeller and has a steel exhaust (1x125mm) with a reduction in PVC to 2x100mm. The Dusty 3000AF dust extractor is standard equipped with a quick-clip system to quickly and easily change the waste bags.

**SKU:** AF-3000T

## GALERIJAFBEELDINGEN



The Dusty 3000AF dust extractor has a fibre filter bag at the top that stops fine dust particles. Optionally there is also a Canister filter cartridge available that further purifies the air up to 0.5µm. This dust collector is equipped with a 2 HP induction motor with alu protection cap delivering an air flow of 2550m<sup>3</sup>/hour. Thanks to the wheeled base, the vacuum can easily be used throughout the entire workshop.

The turbine is equipped with a steel propeller and has a steel exhaust (1x125mm) with a reduction in PVC to 2x100mm. The Dusty 3000AF dust extractor is standard equipped with a quick-clip system to quickly and easily change the waste bags.

## PRODUCT INFORMATION

- Silent induction motor with Aluminium cover
  - Steel blade impeller
    - Fibre filterbag
- Easy to swap waste bags thanks to quick-release system
  - Mobile
  - Solid construction
- Optional: Canister filter cartridge (up to 0,5µm)

## DESCRIPTION

The Dusty 3000AF dust extractor has a fibre filter bag at the top that stops fine dust particles. Optionally there is also a Canister filter cartridge available that further purifies the air up to 0.5µm. This dust collector is equipped with a 2 HP induction motor with alu protection cap delivering an air flow of 2550m<sup>3</sup>/hour. Thanks to the wheeled base, the vacuum can easily be used throughout the entire workshop. The turbine is equipped with a steel propeller and has a steel exhaust (1x125mm) with a reduction in PVC to 2x100mm. The Dusty 3000AF dust extractor is standard equipped with a quick-clip system to quickly and easily change the waste bags.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	50 kg
<b>Dimensions</b>	85 × 56 × 186 cm
<b>Motor</b>	2 PK
<b>Voltage</b>	3 x 400V
<b>Exhaust</b>	125mm - 2x100mm

<b>Air Speed</b>	2550m <sup>3</sup> /h
<b>Ventilator</b>	300mm
<b>Noise level</b>	85dB
<b>Filter bag</b>	500x850mm
<b>Bag</b>	500x850mm