

AIR FLUX DUSTY 3000AF DUST EXTRACTOR - 400V 2HP




€483,47 (excl. VAT)

The Dusty 3000AF dust extractor has a fibre filter bag at the top that stops fine dust particles. Optionally there is also a Canister filter cartridge available that further purifies the air up to 0.5µm. This dust collector is equipped with a 2 HP induction motor with alu protection cap delivering an air flow of 2550m³/hour. Thanks to the wheeled base, the vacuum can easily be used throughout the entire workshop.

The turbine is equipped with a steel propeller and has a steel exhaust (1x125mm) with a reduction in PVC to 2x100mm. The Dusty 3000AF dust extractor is standard equipped with a quick-clip system to quickly and easily change the waste bags.

SKU: AIR-11051

GALERIJAFBEELDINGEN



The Dusty 3000AF dust extractor has a fibre filter bag at the top that stops fine dust particles. Optionally there is also a Canister filter cartridge available that further purifies the air up to $0.5\mu\text{m}$. This dust collector is equipped with a 2 HP induction motor with alu protection cap delivering an air flow of $2550\text{m}^3/\text{hour}$. Thanks to the wheeled base, the vacuum can easily be used throughout the entire workshop.

The turbine is equipped with a steel propeller and has a steel exhaust (1x125mm) with a reduction in PVC to 2x100mm. The Dusty 3000AF dust extractor is standard equipped with a quick-clip system to quickly and easily change the waste bags.

PRODUCT INFORMATION

- Silent induction motor with Aluminium cover
 - Steel blade impeller
 - Fibre filterbag
- Easy to swap waste bags thanks to quick-release system
 - Mobile
 - Solid construction
- Optional: Canister filter cartridge (up to 0,5µm)

DESCRIPTION

The Dusty 3000AF dust extractor has a fibre filter bag at the top that stops fine dust particles. Optionally there is also a Canister filter cartridge available that further purifies the air up to 0.5µm. This dust collector is equipped with a 2 HP induction motor with alu protection cap delivering an air flow of 2550m³/hour. Thanks to the wheeled base, the vacuum can easily be used throughout the entire workshop. The turbine is equipped with a steel propeller and has a steel exhaust (1x125mm) with a reduction in PVC to 2x100mm. The Dusty 3000AF dust extractor is standard equipped with a quick-clip system to quickly and easily change the waste bags.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	50 kg
Dimensions	85 x 56 x 186 cm
Motor	2 PK
Voltage	3 x 400V
Exhaust	125mm - 2x100mm

Air Speed	2550m ³ /h
Ventilator	300mm
Noise level	85dB
Filter bag	500x850mm
Bag	500x850mm