

ALUCUT TT420-M MANUAL ALUMINIUM SAW



€2 .475,20 (excl. VAT)

Semi-professional manual aluminium saw for regular use. The machine is equipped with a manually operated clamping device. The carbide saw emerges from the cabinet by means of a lift handle. The working position can be adjusted by turning the upper frame with the convenient foot pedal. Aluminium sawing with great attention to detail, such as the easy operation of the machine. High-quality cut as the saw works with manual saw lift from below. Safe working with the double manual clamps. **Optionally, roller beds of 1.5 metres with length stop are available.**

SKU: 0AC420MAN

GALERIJAFBEELDINGEN



Semi-professional manual aluminium saw for regular use. The machine is equipped with a manually operated clamping device. The carbide saw emerges from the cabinet by means of a lift handle. The working position can be adjusted by turning the upper frame with the convenient foot pedal. Aluminium sawing with great attention to detail, such as the easy operation of the machine. High-quality cut as the saw works with manual saw lift from below. Safe working with the double manual clamps. **Optionally, roller beds of 1.5 metres with length stop are available.**

PRODUCT INFORMATION

- Stable and robust construction
 - Simple operation
- Rotatable working position with foot pedal
 - Manual clamping
 - Manual saw lift
- Manual opening of protective cover
- Two manual quick-release clamps with PTFE clamping jaws
 - Adjustable rear stop
 - Saw blade Ø 420 mm
 - Cooling manual
 - Width guide included

DESCRIPTION

Semi-professional manual aluminium saw for regular use. The machine is equipped with a manually operated clamping device. The carbide saw emerges from the cabinet by means of a lift handle. The working position can be adjusted by turning the upper frame with the convenient foot pedal. Aluminium sawing with great attention to detail, such as the easy operation of the machine. High-quality cut as the saw works with manual saw lift from below. Safe working with the double manual clamps. **Optionally, roller beds of 1.5 metres with length stop are available.**

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	150 kg
Diameter sawblade	420mm
Bore hole	30 mm
Motor	4 HP
Voltage	230 V, 3 x 400V
Dust collection port	100 mm
Saw blade speed	3000
Turnable saw unit	Left 60°, right 60°
Cutting range round 90°	150 mm
Cutting range square 90°	138 mm
Cutting range rectangle 90°	200 x 124 mm
Cutting range round 45°	150 mm
Cutting range square 45°	128 mm

Cutting range rectangle 45° 190 x 100 mm