

ALUCUT TT420-P SEMI-AUTOMATIC ALUMINIUM SAW



€5 .495,00 (excl. VAT)

Semi-professional aluminium sawing machine, which cuts fully automatically by means of hydraulic pneumatic movement of the saw blade. The material is clamped pneumatically and is adjustable both horizontally and vertically. The sawing height is fully adjustable on this aluminium sawing machine.

Optionally, roller beds of 3 metres with one length stop are available.

Aluminium sawing with great attention to detail, from the simple operation of the machine to safe working with a semi-automatic machine. All conditions are fulfilled to achieve a high-quality cut, sawing from below is a prerequisite if you want to cut aluminium, the hydraulic pneumatic movement of the saw blade ensures constant quality with a low noise level.

SKU: 0AC420P

GALERIJAFBEELDINGEN



Semi-professional aluminium sawing machine, which cuts fully automatically by means of hydraulic pneumatic movement of the saw blade. The material is clamped pneumatically and is adjustable both horizontally and vertically. The sawing height is fully adjustable on this aluminium sawing machine. **Optionally, roller beds of 3 metres with one length stop are available.**

Aluminium sawing with great attention to detail, from the simple operation of the machine to safe working with a semi-automatic machine. All conditions are fulfilled to achieve a high-quality cut, sawing from below is a prerequisite if you want to cut aluminium, the hydraulic pneumatic movement of the saw blade ensures constant quality with a low noise level.

PRODUCT INFORMATION

- Stable and robust construction
 - Simple operation
 - Automatic cutting cycle
 - Manual saw hood opening
 - Hydraulic-pneumatic saw feed
- Saw head rotatable 60° to the left, 45° to the right
- Two pneumatic quick-release clamps with PTFE clamping jaws

- Adjustable rear stop
- Saw blade Ø 420 mm
- Pneumatic cooling system with spray function

DESCRIPTION

Semi-professional aluminium sawing machine, which cuts fully automatically by means of hydraulic pneumatic movement of the saw blade. The material is clamped pneumatically and is adjustable both horizontally and vertically. The sawing height is fully adjustable on this aluminium sawing machine. **Optionally, roller beds of 3 metres with one length stop are available.** Aluminium sawing with great attention to detail, from the simple operation of the machine to safe working with a semi-automatic machine. All conditions are fulfilled to achieve a high-quality cut, sawing from below is a prerequisite if you want to cut aluminium, the hydraulic pneumatic movement of the saw blade ensures constant quality with a low noise level.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	290 kg
Dimensions	100 × 1330 × 88 cm
Diameter sawblade	420mm
Bore hole	30 mm
Motor	4 HP
Voltage	230 V, 3 x 400V
Dust collection port	100 mm
Saw blade speed	3000
Turnable saw unit	Left 60°, right 45°
Cutting range round 90°	148 mm

Cutting range square 90°	135 x 135 mm
Cutting range rectangle 90°	200 x 110 mm
Cutting range round 45°	148 mm
Cutting range square 45°	128 mm
Cutting range rectangle 45°	190 x 100 mm