

## **BANDSAW BLADE TEMPERED STEEL 2240MM (4 TPI) - FOR TT312**



**€28,93 (excl. VAT)**

Bandsaw blade with length 2240mm for use on the TT312 band saw machine from Tendotools. This saw blade has 4 TPI (teeth per inch) and has a width of 10, 13mm or 16mm. This bandsaw blade in tempered steel "Flexback" is very suitable for multipurpose sawing. Use this saw ribbon for both wood and plastics.

The teeth of the saw blade were given an additional heat treatment for increased hardness. This keeps the band very supple and increases your cutting comfort thanks to the hardness of the teeth. Thickness of 0,65mm, the saw ribbon of 16mm has a thickness of 0,80mm.

**SKU:** N/A

### VARIATIONS

Image	SKU	Description	Width	Price
	3LZFB31210065		10mm	€28,93 (excl. VAT)
	3LZFB31213065		13mm	€28,93 (excl. VAT)
	3LZFB31216080		16mm	€28,93 (excl. VAT)

### GALERIJAFBEELDINGEN



Bandsaw blade with length 2240mm for use on the TT312 band saw machine from Tendotools. This saw blade has 4 TPI (teeth per inch) and has a width of 10, 13mm or 16mm. This bandsaw blade in tempered steel "Flexback" is very suitable for multipurpose sawing. Use this saw ribbon for both wood and plastics. The teeth of the saw blade were given an additional heat treatment for increased hardness. This keeps the band very supple and increases your cutting comfort thanks to the hardness of the teeth.

### **PRODUCT INFORMATION**

- 4 TPI
- 2240mm length
- For TT250

### **DESCRIPTION**

Bandsaw blade with length 2240mm for use on the TT312 band saw machine from Tendotools. This saw blade has 4 TPI (teeth per inch) and has a width of 10, 13mm or 16mm. This bandsaw blade in tempered steel "Flexback" is very suitable for multipurpose sawing. Use this saw ribbon for both wood and plastics. The teeth of the saw blade were given an additional heat treatment for increased hardness. This keeps the band very supple and increases your cutting comfort thanks to the hardness of the teeth.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	0,5 kg
<b>Length</b>	2240mm
<b>Width</b>	10mm, 13mm, 16mm
<b>Thickness</b>	0,65mm, 0,80mm