



BANDSAW TT250 - 230V





€495,04 (excl. VAT)

Compact band saw machine equipped with a 230V induction motor with three-wheel system for optimum guidance of the blade. Compared to classic machines with carbon brush motors, you have two advantages with this band saw. The induction motor is both quieter and more powerful. The three-wheel system accompanies the blade both above and below the work table. The work table of this band saw is completely in cast iron and can be tilted up to 45°. As standard, this machine is equipped with an accurate length guide and a mitre guide. Finally, this band saw is supplied as standard with a robust base on wheels. The base is easy to operate by means of a foot pedal, allowing you to move the machine around without any problems.

Different widths of saw blade in hardened steel 'Flexback' available: 6mm - 10mm - 13mm. Standard delivery with width 10mm.

SKU: 0BS250S

GALERIJAFBEELDINGEN



Compact band saw machine equipped with a 230V induction motor with three-wheel system for optimum guidance of the blade. Compared to classic machines with carbon brush motors, you have two advantages with this band saw. The induction motor is both quieter and more powerful. The three-wheel system accompanies the blade both above and below the work table. The band wheels are rubber-coated to optimise the life of your blade. This band saw has a maximum cutting height of 100mm and a maximum width of 245mm. The height is easily adjustable thanks to the rotary knob and gear rack. The wheel housings are fitted with safety doors.

The work table of this band saw is completely in cast iron and can be tilted up to 45°. As standard, this machine is equipped with an accurate length guide and a mitre guide. It can be moved very easily over the work table in the slots provided for this purpose. The whole is very stable, partly thanks to the torsion free construction. Finally, this band saw is supplied as standard with a robust base on wheels. The base is easy to operate by means of a foot pedal, allowing you to move the machine around without any problems.

PRODUCT INFORMATION

- Torsion free construction
- Cast iron worktable (tiltable)
- Depth control with rotary knob
 - Miter guide
 - Solid base on wheels
- Induction motor 370W
 - Rubberised wheels
 - Double ball bearing
- Sturdy wheelbase with foot pedal

DESCRIPTION

Compact band saw machine equipped with a 230V induction motor with three-wheel system for optimum guidance of the blade. Compared to classic machines with carbon brush motors, you have two advantages with this band saw. The induction motor is both quieter and more powerful. The three-wheel system accompanies the blade both above and below the work table. The band wheels are rubber-coated to optimise the life of your blade. This band saw has a maximum cutting height of 100mm and a maximum width of 245mm. The height is easily adjustable thanks to the rotary knob and gear rack. The wheel housings are fitted with safety doors. The work table of this band saw is completely in cast iron and can be tilted up to 45°. As standard, this machine is equipped with an accurate length guide and a mitre guide. It can be moved very easily over the work table in the slots provided for this purpose. The whole is very stable, partly thanks to the torsion free construction. Finally, this band saw is supplied as standard with a robust base on wheels. The base is easy to operate by means of a foot pedal, allowing you to move the machine around without any problems.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	38 kg
Dimensions	84,5 × 32 × 43 cm
Input Power	370W
Voltage	230 V
Blade speed	700m/min
Work table	350x330mm
Table tilt	0° - 45°
Max. cutting height	100mm
Max. width of cut	245mm
Length of blade	1750mm
Width of blade	6mm, 10mm, 13mm