

BELMASH - GROOVE CUTTER Ø125MM 4-12MM



€53,72 (excl. VAT)

Belmash fixed groove cutter for both Belmash combination machines and spindle moulding machines. The groove cutter is used to produce rectangular grooves, to make quarters and to cut along the fibers in different types of wood. It can be used on woodworking machines BELMASH SDM2500, SDMR2500, CBS2400 or spindle moulders with shaft 30mm.

Available in different thicknesses.

SKU: N/A



VARIATIONS

Image	SKU	Description	Thickness teeth	Price
BELMASH BELMASH	BEL-BMG-018	35	4,0mm	€53,72 (excl. VAT)
DELMASH SELMASH	BEL-BMG-018	37	6,0mm	€53,72 (excl. VAT)
BELMASH BELMASH	BEL-BMG-018	38	8,0mm	€53,72 (excl. VAT)
BELMASH BELMASH	BEL-BMG-018	39	10,0mm	€53,72 (excl. VAT)




Image SKU Description Thickness teeth Price

BEL-BMG-0191 12,0mm

€53,72 (excl. VAT)

GALERIJAFBEELDINGEN













Belmash fixed groove cutter for both Belmash combination machines and spindle moulding machines. The groove cutter is used to produce rectangular grooves, to make quarters and to cut along the fibers in different types of wood. It can be used on woodworking machines BELMASH SDM2500, SDMR2500, CBS2400 or spindle moulders with shaft 30mm.

Available in different thicknesses.

PRODUCT INFORMATION

- 4, 6, 8, 10 or 12mm thickness
 - Groove cutter Ø125mm
- For SDM2500, SMR2500, CBS2400
- For spindle moulders with shaft 30mm

DESCRIPTION

Belmash fixed groove cutter for both Belmash combination machines and spindle moulding machines. The groove cutter is used to produce rectangular grooves, to make quarters and to cut along the fibers in different types of wood. It can be used on woodworking machines BELMASH SDM2500, SDMR2500, CBS2400 or spindle



moulders with shaft 30mm. Available in different thicknesses.

No video available for this product!

DOWNLOADS

No download availble.

ADDITIONAL INFORMATION

Weight N/A

Thickness teeth 4,0mm, 6,0mm, 8,0mm, 10,0mm, 12,0mm

Number of teeth 6