

## BUILDING SITE SAW CONSTRUCTOR TT350



**€822,31 (excl. VAT)**

The Constructor TT350 is a unique and compact building site saw, equipped with a height control system driven by a 2-belt induction motor (230 V - 3.5 HP or 400 V - 4 HP) to protect the motor from overload. It has a 350 mm diameter saw blade with a 30 mm bore, a 900 x 600 mm work table and a 500 x 460 mm extension table.

**SKU:** N/A

### VARIATIONS

<b>Image</b>	<b>SKU</b>	<b>Description</b>	<b>Voltage</b>	<b>Price</b>
	OCS350S		230 V	€822,31 (excl. VAT)
	OCS350T		400 V	€822,31 (excl. VAT)

### **GALERIJAFBEELDINGEN**





The Constructor TT350 is a unique and compact building site saw. This heavy-duty, rugged sawing machine is ideally suited for all sawing tasks on a construction site. It has a height control that is driven by a 2-belt induction motor (230 V - 3.5 HP or 400 V - 4 HP) to protect the motor from overload. The machine has a 350 mm diameter saw blade with a 30 mm bore, a 900 x 600 mm work table and a 500 x 460 mm extension table.

The extension table can be folded down if needed. The cutting height can be quickly adjusted from 0 to 120 mm. The saw is further equipped with a high longitudinal guide, a miter guide, a hand guard and a safety cover.

The handles make it easier to move and store.

The Constructor TT350 is delivered fully assembled (only the legs need to be attached).

## PRODUCT INFORMATION

- Powerful 230 V – 3.5 HP or 400 V – 4 HP induction motor
  - Saw blade with diameter 350 mm and bore 30 mm
  - No assembly needed, only the feet need to be attached
    - Fold-down extension table
    - Fast height adjustment
  - Cutting height can be adjusted from 0 to 120 mm
    - Dual belt drive
    - High longitudinal guide

- Miter guide and hand protection
- Safety cover
- Handles facilitate moving and storage

## DESCRIPTION

The Constructor TT350 is a unique and compact building site saw. This heavy-duty, rugged sawing machine is ideally suited for all sawing tasks on a construction site. It has a height control that is driven by a 2-belt induction motor (230 V - 3.5 HP or 400 V - 4 HP) to protect the motor from overload. The machine has a 350 mm diameter saw blade with a 30 mm bore, a 900 x 600 mm work table and a 500 x 460 mm extension table.

The extension table can be folded down if needed. The cutting height can be quickly adjusted from 0 to 120 mm. The saw is further equipped with a high longitudinal guide, a miter guide, a hand guard and a safety cover. The handles make it easier to move and store. The Constructor TT350 is delivered fully assembled (only the legs need to be attached).

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	88 kg
<b>Dimensions</b>	1110 x 710 x 720 cm
<b>Diameter sawblade</b>	350mm
<b>Bore hole</b>	30 mm
<b>Max. cutting height</b>	120 mm
<b>Motor</b>	3.5 HP, 4 HP
<b>Voltage</b>	230 V, 400 V
<b>Worktable</b>	550 x 800 mm, 900 x 600 mm
<b>Extension table</b>	500 x 460 mm