

CLAMPING DEVICE 200MM - FOR BELMASH UNIVERSAL 2000



€61,98 (excl. VAT)

The Belmash clamping devices provide increased safety when working with your thicknessing machine.

Safely plane beams or boards on any Belmash machine. The pusher ensures that the workpiece is clamped to the work surface. This facilitates the flow of material, giving you a clean and precise finish. These clamping devices are easy to install using the screws and washers. The opening can be adjusted by means of a handle on the top and the spring clip on the side. In this way, a good supply and pressure force is always assured.

This pusher is suitable for use on the Belmash Universal 2000.

SKU: BEL-TD200

GALERIJAFBEELDINGEN



The Belmash clamping devices provide increased safety when working with your thicknessing machine. Safely plane beams or boards on any Belmash machine. The pusher ensures that the workpiece is clamped to the work surface. This facilitates the flow of material, giving you a clean and precise finish. These clamping devices are easy to install using the screws and washers. The opening can be adjusted by means of a handle on the top and the spring clip on the side. In this way, a good supply and pressure force is always assured.

This pusher is suitable for use on the Belmash Universal 2000.

PRODUCT INFORMATION

- Pusher / clamping device
- For Belmash Universal 2000
 - Max. width 200mm

DESCRIPTION

The Belmash clamping devices provide increased safety when working with your thicknessing machine. Safely plane beams or boards on any Belmash machine. The pusher ensures that the workpiece is clamped to the work surface. This facilitates the flow of material, giving you a clean and precise finish. These clamping devices

are easy to install using the screws and washers. The opening can be adjusted by means of a handle on the top and the spring clip on the side. In this way, a good supply and pressure force is always assured. This pusher is suitable for use on the Belmash Universal 2000.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	2,7 kg
Dimensions	30 × 26 × 7 cm
Max. height work piece	63mm
Max. width work piece	200mm