

CLAMPING DEVICE SAW AND THICKNESSER 270MM - FOR BELMASH SDMR2500



€61,98 (excl. VAT)

The Belmash clamping devices provide increased safety when working with your thicknessing machine.

Safely plane beams or boards on any Belmash machine. The pusher ensures that the workpiece is clamped to the work surface. This facilitates the flow of material, giving you a clean and precise finish. These clamping devices are easy to install using the screws and washers. The opening can be adjusted by means of a handle on the top and the spring clip on the side. In this way, a good supply and pressure force is always assured.

This pusher is suitable to be used on the Belmash SDMR2500.

SKU: BEL-TD270

The Belmash clamping devices provide increased safety when working with your thicknessing machine. Safely plane beams or boards on any Belmash machine. The pusher ensures that the workpiece is clamped to the work surface. This facilitates the flow of material, giving you a clean and precise finish. These clamping devices are easy to install using the screws and washers. The opening can be adjusted by means of a handle on the top and the spring clip on the side. In this way, a good supply and pressure force is always assured.

This pusher is suitable to be used on the Belmash SDMR2500.

PRODUCT INFORMATION

- Pusher / clamping device
- For Belmash SDMR2500
 - Max. width 270mm

DESCRIPTION

The Belmash clamping devices provide increased safety when working with your thicknessing machine. Safely plane beams or boards on any Belmash machine. The pusher ensures that the workpiece is clamped to the work surface. This facilitates the flow of material, giving you a clean and precise finish. These clamping devices are easy to install using the screws and washers. The opening can be adjusted by means of a handle on the top and the spring clip on the side. In this way, a good supply and pressure force is always assured. This pusher is suitable to be used on the Belmash SDMR2500.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight

3,3 kg

Dimensions

30 × 26 × 7 cm

Max. height work piece	63mm
Max. width work piece	270mm