

COMBI TT320K5 MASSIF - SAWING, PLANING AND MILLING



€8 .000,00 (excl. VAT)

The Combi TT320K5 Massif is a combination machine from the Revolution line with a heavy welded steel frame with cast iron tables. It has three separate motors for sawing, planing and milling and is equipped with a wide anodized sliding table of 1500 mm. A mortiser with Westcott chuck is also included as a standard.

SKU: RECO320K5

GALERIJAFBEELDINGEN



The combination machines of our Revolution line are among the absolute top segment thanks to their robust construction and the use of extremely solid materials.

The Combi TT320K5 Massif has a heavy welded steel frame with cast iron tables. The machine is equipped with three separate motors. It is equipped with a wide anodized sliding table of 1500 mm.

The large saw blade is suitable for cross-cutting, mitre sawing, solid work... The saw is equipped with a large right-hand saw guide. The heavy-duty saw arm is mounted on a double support arm. A large right-hand saw guide is fitted as a standard. A 1 HP scoring unit with separate motor is also available as an option.

The 2-speed milling spindle has a large table opening and is equipped with several insert rings. A chip outlet is provided on the multi-adjustable milling cover and at the bottom of the milling table. The milling machine is

further equipped with wide anodized milling guides.

The large cast iron planing tables have a long, angled adjustable anodized planing guide. The thicknesser has a large throughput height. The motorized throughput can be disabled. The planing and thicknessing table has a large flip-up cover for chip removal.

A mortiser with (left-turning) Westcott chuck is also provided as a standard.

PRODUCT INFORMATION

- Sawing, milling and planing (planer-thicknesser) brought together in one combined machine
 - Heavy welded steel frame with cast iron tables
 - 3 separate motors
 - Wide anodized sliding table 1500 mm
 - Heavy-duty saw arm on double support arm
- Large saw blade, suitable for cross-cutting, miter cuts, format sawing...
 - Large cutting capacity in height
- Equipped with robust guides with double flip stop with clear fine adjustment
 - Milling spindle with large table opening, fitted with several insert rings
 - 2-speed milling spindle
 - Multi-adjustable milling cover with safety guides
 - Sturdy high and long right angle guide
- Chip removal on the milling cover and at the bottom of the milling table
 - Cast iron planing tables
 - Planing guide
 - Large throughput height of thicknesser
 - Clear control panel
 - Heavy-duty quick-release clamp
 - Mortiser + Westcott chuck as a standard
- Scoring unit 1 HP **available as an option**

DESCRIPTION

The combination machines of our Revolution line are among the absolute top segment thanks to their robust construction and the use of extremely solid materials. The Combi TT320K5 Massif has a heavy welded steel frame with cast iron tables. The machine is equipped with three separate motors. It is equipped with a wide

anodized sliding table of 1500 mm. The large saw blade is suitable for cross-cutting, mitre sawing, solid work...

The saw is equipped with a large right-hand saw guide. The heavy-duty saw arm is mounted on a double support arm. A large right-hand saw guide is fitted as a standard. A 1 HP scoring unit with separate motor is also available as an option. The 2-speed milling spindle has a large table opening and is equipped with several insert rings. A chip outlet is provided on the multi-adjustable milling cover and at the bottom of the milling table. The milling machine is further equipped with wide anodized milling guides. The large cast iron planing tables have a long, angled adjustable anodized planing guide. The thicknesser has a large throughput height. The motorized throughput can be disabled. The planing and thicknessing table has a large flip-up cover for chip removal. A mortiser with (left-turning) Westcott chuck is also provided as a standard.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	250 kg
Motor	4,3 HP
Voltage	3 x 400V
Worktable (sawing/milling)	1100 x 155 mm
Sliding table	760 x 500 mm
Sliding length	2000 mm
Height of groove	125 mm
Table opening	250 mm
Shaft diameter	30 mm
No-load speed (milling)	3500 rpm, 7000 rpm
Ø Saw blade	255-315 mm
Cutting depth 45°	43-65 mm

Cutting depth 90 °	63-90 mm
No-load speed (sawing)	4260 rpm
Ø Scoring blade	150 mm
No-load speed (scoring blade)	8300 rpm
Worktable (planing)	1400 x 320 mm
Planing width	320 mm
Max. planing depth	5 mm
Worktable (thicknesser)	600 x 316 mm
Max. depth thicknesser	3 mm
Throughput height thicknesser	3-230 mm
Feed speed thicknesser	6 m/min
Chuck	16 mm
Mortiser	250 x 370 mm