

## COMBI WORKCENTRE TT250SL - SAWING, PLANING AND MILLING






**€4 .421,48 (excl. VAT)**

This compact combination machine from the Hobby+ Series is an absolute winner in its price class. The ideal machine for every woodworker who works at home or in a small workshop. Comprising two different machines, this Combi Workcentre offers you three functions: sawing, milling and planing and thicknessing. Each function is driven by a separate 230 V induction motor. This combination machine is similar to the Combi Workcentre TT250 with one important difference. The saw table is equipped with a prismatic sliding system. This sliding system makes it easier to cut panels up to 1300 mm. In addition, the saw table also has a larger saw blade (255mm) and a more powerful motor (3HP).

Wheel kit WK600 optionally available. Important! The wheel kit can only be placed under this machine when using the additional extensions.

**SKU: 0CCF25SLX2**

## GALERIJAFBEELDINGEN



This compact combination machine from the Hobby+ Series is an absolute winner in its price class. The ideal machine for every woodworker who works at home or in a small workshop. Comprising two different machines, this Combi Workcentre offers you three functions: sawing, milling and planing and thicknessing. Each function is driven by a separate 230 V induction motor. This combination machine is similar to the Combi Workcentre TT250 with one important difference. The saw table is equipped with a prismatic sliding system. This sliding system makes it easier to cut panels up to 1300 mm. In addition, this saw table has a 255 mm saw blade and a 3 HP motor. The saw blade can be tilted up to 45° for cutting at an angle. The sliding system can also be used

as a tenoning table for the router table.

#### **Router table**

The spindle moulder (Ø30mm) is adjustable to three speeds. The lowest speed is mainly recommended for heavy milling work, such as making tenons. At higher speeds, this type of work can have a 'helicopter effect', where the cutter takes off. The higher speeds lend themselves perfectly to profiling. So always set the right speed depending on the type of material and the type of work you are doing. The router table has a protective cover so that you can always work safely.

#### **Planer and thicknesser**

In addition, this combination machine offers you a powerful, planer and thicknesser. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. In this way, you can make maximum use of the capabilities of the thicknessing machine.

For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø100mm outlet.

This combination machine can be divided into two parts. In this way, you can use the saw table + milling machine and the planer thicknesser separately.

### **PRODUCT INFORMATION**

- Combination machine
  - Two parts
- Sawing, milling + planing and thicknessing
  - Three induction motors
  - Three-speed spindle moulder
    - Spindle Ø30mm
    - Saw Blade Ø255mm
    - Planing width 250mm

## DESCRIPTION

This compact combination machine from the Hobby+ Series is an absolute winner in its price class. The ideal machine for every woodworker who works at home or in a small workshop. Comprising two different machines, this Combi Workcentre offers you three functions: sawing, milling and planing and thicknessing. Each function is driven by a separate 230 V induction motor. This combination machine is similar to the Combi Workcentre TT250 with one important difference. The saw table is equipped with a prismatic sliding system. This sliding system makes it easier to cut panels up to 1300 mm. In addition, this saw table has a 255 mm saw blade and a 3 HP motor. The saw blade can be tilted up to 45° for cutting at an angle. The sliding system can also be used as a tenoning table for the router table.

### Router table

The spindle moulder (Ø30mm) is adjustable to three speeds. The lowest speed is mainly recommended for heavy milling work, such as making tenons. At higher speeds, this type of work can have a 'helicopter effect', where the cutter takes off. The higher speeds lend themselves perfectly to profiling. So always set the right speed depending on the type of material and the type of work you are doing. The router table has a protective cover so that you can always work safely.

### Planer and thicknesser

In addition, this combination machine offers you a powerful, planer and thicknesser. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. In this way, you can make maximum use of the capabilities of the thicknessing machine. For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø100mm outlet. This combination machine can be divided into two parts. In this way, you can use the saw table + milling machine and the planer thicknesser separately.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	250 kg
<b>Motor</b>	1.5 HP, 2 PK
<b>Voltage</b>	230 V
<b>Worktable (sawing/milling)</b>	940x410mm
<b>Sliding table</b>	400x250mm
<b>Sliding length</b>	1300mm
<b>Height of groove</b>	76,5mm
<b>Table opening</b>	140mm
<b>Shaft diameter</b>	30 mm
<b>No-load speed (milling)</b>	4500rpm, 6500rpm, 8500rpm
<b>Cutting depth 45°</b>	60mm
<b>Cutting depth 90 °</b>	60mm, 75mm
<b>No-load speed (sawing)</b>	4750rpm
<b>Worktable (planing)</b>	1085x256
<b>Schaafbreedte</b>	250mm
<b>Max. planing depth</b>	3mm
<b>Worktable (thicknesser)</b>	600x258mm
<b>Max. depth thicknesser</b>	2mm
<b>Height thicknesser</b>	5-180mm
<b>Feed speed thicknesser</b>	5m/min
<b>No-load speed (planing axis)</b>	4000rpm