

## COMPACT DUST EXTRACTOR ASC682



**€694,74 (excl. VAT)**

The robust design of the dust and liquid extractor is specially designed for the connection of electrical machines and tools. Its high suction power makes cleaning easier and above all improves working conditions. This Hoover is equipped with a socket with an intelligent automatic start system. Using this system, the extractor starts automatically when you start the tool. A few seconds after stopping the tool, the machine also switches itself off. This short after-cleaning ensures that the hoses remain clean. The double filtration system is equipped with an automatic fine filter vibrator that removes the accumulated dust and an exhaust for use in blowing mode.

Standard delivery with flexible extraction hose, dust bag and filter for solids or liquids. Other accessories optionally available.

**SKU:** VIR-ASC682

## GALERIJAFBEELDINGEN



The robust design of the dust and liquid extractor is specially designed for the connection of electrical machines and tools. Its high suction power makes cleaning easier and above all improves working conditions. This Hoover is equipped with a socket with an intelligent automatic start system. Using this system, the extractor starts automatically when you start the tool. A few seconds after stopping the tool, the machine also switches itself off. This short after-cleaning ensures that the hoses remain clean. The double filtration system is equipped with an automatic fine filter vibrator that removes the accumulated dust and an exhaust for use in blowing mode.

Standard delivery with flexible extraction hose, dust bag and filter for solids or liquids. Other accessories optionally available.

## PRODUCT INFORMATION

- Compact extractor
- For dust or liquids
  - Smart switch

DESCRIPTION

The robust design of the dust and liquid extractor is specially designed for the connection of electrical machines and tools. Its high suction power makes cleaning easier and above all improves working conditions. This Hoover is equipped with a socket with an intelligent automatic start system. Using this system, the extractor starts automatically when you start the tool. A few seconds after stopping the tool, the machine also switches itself off. This short after-cleaning ensures that the hoses remain clean. The double filtration system is equipped with an automatic fine filter vibrator that removes the accumulated dust and an exhaust for use in blowing mode. Standard delivery with flexible extraction hose, dust bag and filter for solids or liquids. Other accessories optionally available.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

|             |         |
|-------------|---------|
| Weight      | 13 kg   |
| Input Power | 1200W   |
| Air Speed   | 250m³/u |