

CORNER ROUNDING BIT RAISED SIDE WITH BALL BEARING R12,7 (Z=2) SHANK 8MM - Ø38MM





€44,80 (excl. VAT)

Quarter-circle concave radius cutter to easily and quickly round corners. Increasing the working depth, you will obtain the classical "quarter-round" typical of dining table edges. Perfect finish of your project on different wood types thanks to the HW tungsten cutting edges.

Equipped with a ball bearing for easier work. The smaller bearing provides an upright standing side to the rounding. When using a bit with a large radius, it is advisable to carry out the machining in several steps.

SKU: KL-C124380R

GALERIJAFBEELDINGEN



Quarter-circle concave radius cutter to easily and quickly round corners. Increasing the working depth, you will obtain the classical "quarter-round" typical of dining table edges. Perfect finish of your project on different wood types thanks to the HW tungsten cutting edges.

Equipped with a ball bearing for easier work. The smaller bearing provides an upright standing side to the rounding. When using a bit with a large radius, it is advisable to carry out the machining in several steps.

PRODUCT INFORMATION

- HW carbide cutting edges
- For most wood types
- For router milling machines or CNC machines
- With ball bearing of 12,7mm

DESCRIPTION

Quarter-circle concave radius cutter to easily and quickly round corners. Increasing the working depth, you will obtain the classical "quarter-round" typical of dining table edges. Perfect finish of your project on different wood types thanks to the HW tungsten cutting edges. Equipped with a ball bearing for easier work. The smaller bearing provides an upright standing side to the rounding. When using a bit with a large radius, it is advisable

to carry out the machining in several steps.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	0,05 kg
diameter	38mm
Cutting length	19mm
Length	57mm
Radius	R12,7
Shank	8mm
Cutting edges	2

YOU MAY ALSO LIKE...



[Plunging round-over
bit R4 \(Z=2\) shank
8mm - Ø14mm](#)



[Plunging round-over
bit R5 \(Z=2\) shank
8mm - Ø12mm](#)




[Plunging round-over
bit R4 \(Z=2\) shank
8mm - Ø10mm](#)



[Plunging round-over
bit R3 \(Z=2\) shank
8mm - Ø8mm](#)



[Protective pads for
Extra Quick](#)



[Protective pads for
Max Quick 300](#)