

**CUTTERHEAD FOR CHAMFERING WITH ADJUSTABLE ANGLE KNIVES 0°-70° (Z=2) BORE 50MM - Ø170MM**



**€760,60 (excl. VAT)**




This adjustable bevel cutter head with high-quality tungsten carbide cutting edges gives you tremendous flexibility when making chamfers. The knives are adjustable on both sides between 0° and 70° in increments of 1°. Use the cutter head both for chamfering wood and board material. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards.

Maximum milling height at 0° is 48mm, at 70° it is 15mm.

**SKU: ST-TH17TM200-50**

## GALERIJAFBEELDINGEN

0° - B max = 48	35° - B max = 39
5° - B max = 48	45° - B max = 33
10° - B max = 47	50° - B max = 30
15° - B max = 46	55° - B max = 26
20° - B max = 45	60° - B max = 23
25° - B max = 43	65° - B max = 19
30° - B max = 41	70° - B max = 15



This adjustable bevel cutter head with high-quality tungsten carbide cutting edges gives you tremendous flexibility when making chamfers. The knives are adjustable on both sides between 0° and 70° in increments of 1°. Use the cutter head both for chamfering wood and board material. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards.

Maximum milling height at 0° is 48mm, at 70° it is 15mm.

## PRODUCT INFORMATION

- For spindle moulder machines
  - For chamfering
  - Adjustable 0°-70°
  - Increments of 1°
- For laminated panels or MDF
  - Hard and soft wood

## DESCRIPTION

This adjustable bevel cutter head with high-quality tungsten carbide cutting edges gives you tremendous flexibility when making chamfers. The knives are adjustable on both sides between 0° and 70° in increments of 1°. Use the cutter head both for chamfering wood and board material. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards. Maximum milling height at 0° is 48mm, at 70° it is 15mm.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	1 kg
<b>diameter</b>	170mm
<b>Shaft diameter</b>	50 mm
<b>Cutting edges</b>	2
<b>Height of groove</b>	50mm
<b>RPM Min-Max</b>	4700-7000