

CYLINDRICAL HINGE BORING BIT ADJUSTABLE Ø60-80MM




€345,00 (excl. VAT)

Forstner bore with cylindrical shank and adjustable diameter (60mm-80mm) for boring of concealed hinges in most types of wood or panels. This special, adjustable hinge boring bit has one fixed cutting edge and one adjustable cutting edge (pre mounted) for boring holes of diameter 60-80mm. The boring bit is very easily adjustable thanks to the milimetric scale on the side. Correct Allen key will be included.

The adjustable cutting edge is also sold separately

SKU: KL-R110800R

GALERIJAFBEELDINGEN



Forstner bore with cylindrical shank and adjustable diameter (60mm-80mm) for boring of concealed hinges in most types of wood or panels. This high quality hinge boring bit has two Tungsten cutting edges, two Tungsten spurs and a HW center point for boring with the best quality on every kind of wood or panels. Right hand boring only

This special, adjustable hinge boring bit has one fixed cutting edge and one adjustable cutting edge (pre mounted) for boring holes of diameter 60-80mm. The boring bit is very easily adjustable thanks to the milimetric scale on the side. Correct Allen key will be included. The adjustable cutting edge is also sold seperately

PRODUCT INFORMATION

- adjustable diameter 60-80mm
- Tungsten cutting edges and spurs
 - For all wood types or panels

DESCRIPTION

Forstner bore with cylindrical shank and adjustable diameter (60mm-80mm) for boring of concealed hinges in most types of wood or panels. This high quality hinge boring bit has two Tungsten cutting edges, two Tungsten

spurs and a HW center point for boring with the best quality on every kind of wood or panels. Right hand boring only This special, adjustable hinge boring bit has one fixed cutting edge and one adjustable cutting edge (pre mounted) for boring holes of diameter 60-80mm. The boring bit is very easily adjustable thanks to the milimetric scale on the side. Correct Allen key will be included. The adjustable cutting edge is also sold seperately

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	0,05 kg
diameter	60-80mm
Length	100mm
Shank	12x40mm