

## DOWEL DRILL FOR DOWEL DRILLING MACHINE Ø7MM - SHANK 8×20



**€18,80 (excl. VAT)**

**Length of this drill is 55,5mm - cutting length 30mm**

Dowel drills for dowel drilling machines, available with both left and right hand rotation. For producing high-quality dowel joints. The shank of 8mm has a flat edge to secure the drill. Compatible with dowel drilling machines such as the Mafell DuoDoweler DDF40.




These drills are especially well suited for use on all natural woods, pressed wood and MDF, laminated, veneered or chipboard panels. Thanks to the spurs ground with negative cutting angle you are guaranteed a good finish of your project. These drills have four flutes with chip breakers. The drill is PTFE coated allowing for a much improved chip flow during drilling.


**SKU:** N/A

### VARIATIONS

Image	SKU	Description	Rotation	Price
	KL-L101070R		Right	€18,80 (excl. VAT)
	KL-L101070L		Left	€18,80 (excl. VAT)

### GALERIJAFBEELDINGEN





**Length of this drill is 55,5mm - cutting length 30mm**

Dowel drills for dowel drilling machines, available with both left and right hand rotation. For producing high-quality dowel joints. The shank of 8mm has a flat edge to secure the drill. Compatible with dowel drilling machines such as the Mafell DuoDoweler DDF40.

These drills are especially well suited for use on all natural woods, pressed wood and MDF, laminated, veneered or chipboard panels. Thanks to the spurs ground with negative cutting angle you are guaranteed a good finish of your project. These drills have four flutes with chip breakers. The drill is PTFE coated allowing for a much improved chip flow during drilling.

**PRODUCT INFORMATION**

- For dowel drilling machines
- PTFE-based coating for a better chip flow
- Spurs ground with negative cutting angle
  - For natural wood and pressed wood
- For MDF, laminated, veneered or chipboard panels

**DESCRIPTION**

**Length of this drill is 55,5mm - cutting length 30mm** Dowel drills for dowel drilling machines, available with both left and right hand rotation. For producing high-quality dowel joints. The shank of 8mm has a flat

edge to secure the drill. Compatible with dowel drilling machines such as the Mafell DuoDoweler DDF40. These drills are especially well suited for use on all natural woods, pressed wood and MDF, laminated, veneered or chipboard panels. Thanks to the spurs ground with negative cutting angle you are guaranteed a good finish of your project. These drills have four flutes with chip breakers. The drill is PTFE coated allowing for a much improved chip flow during drilling.

No video available for this product!

### DOWNLOADS

No download available.

### ADDITIONAL INFORMATION

<b>Weight</b>	0,05 kg
<b>diameter</b>	7mm
<b>Cutting length</b>	30mm
<b>Length</b>	55,5mm
<b>Shank</b>	8x20mm
<b>Rotation</b>	Left, Right