

ELECTRIC CHAMFERING PLANER CE89E



€401,88 (excl. VAT)

Professional, powerful Virutex chamfering planer with a base plate with a V-profile of 90°. This is why the CE89E is perfectly suited for chamfering work on all your projects. Thanks to its high power, this planer can make a chamfer of up to 25mm width in a single passage. As standard, the unit is equipped with a set of reversible blades in high-quality carbide (widia). After replacement, the blades do not need to be re-adjusted. The shavings are ejected through the exhaust on the right side.

Standard delivery in a handy PVC case with connector for dust extraction. Optionally available with a base for stationary use of the CE89E.

SKU: VIR-CE89E

GALERIJAFBEELDINGEN



Professional, powerful Virutex chamfering planer with a base plate with a V-profile of 90°. This is why the CE89E is perfectly suited for chamfering work on all your projects. Thanks to its high power, this planer can make a chamfer of up to 25mm width in a single passage. As standard, the unit is equipped with a set of reversible blades in high-quality carbide (widia). After replacement, the blades do not need to be re-adjusted. The shavings are ejected through the exhaust on the right side.

Standard delivery in a handy PVC case with connector for dust extraction. Optionally available with a base for stationary use of the CE89E.

PRODUCT INFORMATION

- Hand planer
- Exhaust on the right
 - 90° V-profile
- For chamfering

DESCRIPTION

Professional, powerful Virutex chamfering planer with a base plate with a V-profile of 90°. This is why the CE89E

is perfectly suited for chamfering work on all your projects. Thanks to its high power, this planer can make a chamfer of up to 25mm width in a single passage. As standard, the unit is equipped with a set of reversible blades in high-quality carbide (widia). After replacement, the blades do not need to be re-adjusted. The shavings are ejected through the exhaust on the right side. Standard delivery in a handy PVC case with connector for dust extraction. Optionally available with a base for stationary use of the CE89E.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	3,3 kg
Input Power	700W
Cutting depth	0-12,5mm
Planing width	80mm
No-load speed	16500rpm