

GRADUAL ADJUSTABLE GROOVE CUTTER 28-55MM (Z=4 + V=4) - Ø160MM





€338,84 - €353,63 (excl. VAT)

Cutterhead with reversible blades and spurs in high quality carbide (HW) for making precision grooves. Gradually adjustable in height between 28mm and 55mm. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards.

Available with bore 30mm or 50mm.


SKU: N/A

VARIATIONS


Image	SKU	Description	Shaft diameter	Price
	ST-TH94TM10-50		50 mm	€353,63 (excl. VAT)
	ST-TH94TM10-30		30 mm	€338,84 (excl. VAT)

GALERIJAFBEELDINGEN

STANDARD



COMBINAZIONI POSSIBILI
CUTTERHEAD COMBINATIONS
FRÄSE-KOMBINATIONEN



Cutterhead with reversible blades and spurs in high quality carbide (HW) for making precision grooves. Gradually adjustable in height between 28mm and 55mm. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards.

Available with bore 30mm or 50mm.

PRODUCT INFORMATION

- For spindle moulder machines
- For making precision grooves and slots
 - For laminated panels or MDF
 - Hard and soft wood

DESCRIPTION

Cutterhead with reversible blades and spurs in high quality carbide (HW) for making precision grooves. Gradually adjustable in height between 28mm and 55mm. Thanks to the tungsten carbide blades, this cutterhead cuts effortlessly through solid boards, hard and soft woods, MDF or laminated boards.

Available with bore 30mm or 50mm.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	1 kg
diameter	160mm
Shaft diameter	30 mm, 50 mm
Cutting edges	4
Number of teeth	4

Cutting length	44mm
Height of groove	28-55mm
RPM Min-Max	4800-8200