

GRÖBE RAZER TT45E 230V - SHREDDER + MULCHER



€657,02 (excl. VAT)

This shredder and mulcher excels thanks to three advantages: Very compact storage, super strong in its class and affordable! The Razer TT45E effortlessly shreds all your garden waste: branches, twigs, trimmings, bark and leaves into fine mulch. With the help of the heavy impact chisels and 8 double hammers, it can also effortlessly process larger branches through the side feeder. Easily movable and suitable for all terrains. Separate intake for thick branches up to 45mm and large funnel for waste and composting up to 12.7mm.

SKU: 0GSHR45E1




GALERIJAFBEELDINGEN









This shredder and mulcher excels thanks to three advantages: Very compact storage, super strong in its class and affordable! The Razer TT45E effortlessly shreds all your garden waste: branches, twigs, trimmings, bark and leaves into fine mulch. With the help of the heavy impact chisels and 8 double hammers, it can also effortlessly process larger branches through the side feeder. Easily movable and suitable for all terrains. Separate intake for thick branches up to 45mm and large funnel for waste and composting up to 12.7mm.



PRODUCT INFORMATION

- Shredder and mulcher
 - Double intake
- Up to maximum diameter 45mm
 - Compact design
 - Large funnel with handle
 - For all garden waste

DESCRIPTION

This shredder and mulcher excels thanks to three advantages: Very compact storage, super strong in its class and affordable! The Razer TT45E effortlessly shreds all your garden waste: branches, twigs, trimmings, bark and leaves into fine mulch. With the help of the heavy impact chisels and 8 double hammers, it can also effortlessly process larger branches through the side feeder. Easily movable and suitable for all terrains. Separate intake for thick branches up to 45mm and large funnel for waste and composting up to 12.7mm.

DOWNLOADS

No download availble.

ADDITIONAL INFORMATION

Weight	60 kg
Dimensions	96 × 55 × 55 cm
Voltage	230 V
Motor	4.5 HP
Max. Ø funnel intake	12mm
Max. Ø side intake	45mm