

GUIDES WITH BALL BEARING BORE 30MM



€203,00 (excl. VAT)

This set with ball bearing and accompanying guide rings is perfect for all calibrating and copying work on your milling machine. Use the ball bearing to ensure that your workpiece always glides smoothly along the cutter head. The ball bearing has a diameter of 62mm. In addition, the set also contains guide rings with outer diameters of 70, 90, 100 and 125mm. Including a safety ring with a diameter of 68mm.

Tip: Use this set in combination with our vertical quick release clamp. Use the quick release clamp to secure the workpiece to the mould so that you do not get your hands near the cutter.

SKU: KL-TX0050

GALERIJAFBEELDINGEN



This set with ball bearing and accompanying guide rings is perfect for all calibrating and copying work on your milling machine. Use the ball bearing to ensure that your workpiece always glides smoothly along the cutter head. The ball bearing has a diameter of 62mm. In addition, the set also contains guide rings with outer diameters of 70, 90, 100 and 125mm. Including a safety ring with a diameter of 68mm.

Tip: Use this set in combination with our vertical quick release clamp. Use the quick release clamp to secure the workpiece to the mould so that you do not get your hands near the cutter.

PRODUCT INFORMATION

- For spindle moulder machines
- Calibrating and copying work
- Ball bearing with four guide rings

DESCRIPTION

This set with ball bearing and accompanying guide rings is perfect for all calibrating and copying work on your milling machine. Use the ball bearing to ensure that your workpiece always glides smoothly along the cutter head. The ball bearing has a diameter of 62mm. In addition, the set also contains guide rings with outer

diameters of 70, 90, 100 and 125mm. Including a safety ring with a diameter of 68mm. Tip: Use this set in combination with our vertical quick release clamp. Use the quick release clamp to secure the workpiece to the mould so that you do not get your hands near the cutter.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	1 kg
Shaft diameter	30 mm