

## HORIZONTAL AND VERTICAL SANDER TT2010



**€950,41 (excl. VAT)**

The TT2010 is a versatile sander with a 2010 x 153 mm sanding belt, a contour table for circular sanding and an extraction outlet.

**SKU:** 0SA2010X2

## GALERIJAFBEELDINGEN



The TT2010 is a compact, versatile sander. It is equipped with a 2010 x 153 mm sanding belt, a contour table for circular sanding and an extraction outlet. The belt can be placed both horizontally and vertically. The aluminum work tables can both be tilted at an angle of up to 45°. The unbeatable price-to-benefit ratio makes this the ideal model for craftsmen. The graphite coating on the sanding table increases the sliding capacity of the sanding belt

It comes standard with a screen for horizontal sanding, a mitre fence and a quick-release system that allows you to quickly change the sanding belt. A base is also included as standard.

The sanding belt is available in grit 60, 80, 100 en 150.

## PRODUCT INFORMATION

- 2 HP motor
- Can be used horizontally as well as vertically and under a specific angle
  - Tilting aluminum table with protractor
  - Tilting contour table
- Quick-release sanding belt system for quick changes
  - 100 mm extraction outlet
  - Extra high tilting guide

## DESCRIPTION

The TT2010 is a compact, versatile sander. It is equipped with a 2010 x 153 mm sanding belt, a contour table for circular sanding and an extraction outlet. The belt can be placed both horizontally and vertically. The aluminum work tables can both be tilted at an angle of up to 45°. The unbeatable price-to-benefit ratio makes this the ideal model for craftsmen. The graphite coating on the sanding table increases the sliding capacity of the sanding belt. It comes standard with a screen for horizontal sanding, a mitre fence and a quick-release system that allows you to quickly change the sanding belt. A base is also included as standard. The sanding belt is available in grit 60, 80, 100 and 150.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	86 kg
<b>Dimensions</b>	1150 × 600 × 1100 cm
<b>Tilt</b>	45°
<b>Grain</b>	K60, K80, K100, K150
<b>Worktable</b>	514 x 221 mm, 790 x 221 mm

<b>Sanding belt</b>	2010 x 152 mm
<b>Motor</b>	2 PK
<b>Voltage</b>	230 V