

## JOINTING MACHINE AB111N




**€383,33 (excl. VAT)**

The jointing machine AB111N has been specially designed to make solid wood joints in any position. Thanks to the design of the guide, which can be adjusted to any height and angle, you can quickly and easily mill grooves for jointing with slats. The depth is easy to adjust using the regulator. The machine works excellently on panels with thicknesses of 16, 19 and 22mm. It is also possible to work larger thicknesses thanks to the movable guide which ensures that your grooves are always centred. Recommended to make three or more grooves for sufficiently strong joints. The machine is equipped with an electronic regulator for an even speed of the cutter.

Standard delivery in a handy PVC case with cutting head in high quality carbide Ø100mm.

**SKU:** VIR-AB111N

## GALERIJAFBEELDINGEN



The jointing machine AB111N has been specially designed to make solid wood joints in any position. Thanks to the design of the guide, which can be adjusted to any height and angle, you can quickly and easily mill grooves for jointing with slats. The depth is easy to adjust using the regulator. Thanks to the stop it is even possible to preset different groove depths. The machine works excellently on panels with thicknesses of 16, 19 and 22mm. It is also possible to work larger thicknesses thanks to the movable guide which ensures that your grooves are always centred. Recommended to make three or more grooves for sufficiently strong joints. The machine is equipped with an electronic regulator for an even speed of the cutter.

Standard delivery in a handy PVC case with cutting head in high quality carbide Ø100mm.

### PRODUCT INFORMATION

- Jointing machine
  - Wood joints
- Grooves for slats in all positions
  - Max depth 20mm

### DESCRIPTION

The jointing machine AB111N has been specially designed to make solid wood joints in any position. Thanks to the design of the guide, which can be adjusted to any height and angle, you can quickly and easily mill grooves for jointing with slats. The depth is easy to adjust using the regulator. Thanks to the stop it is even possible to preset different groove depths. The machine works excellently on panels with thicknesses of 16, 19 and 22mm. It is also possible to work larger thicknesses thanks to the movable guide which ensures that your grooves are always centred. Recommended to make three or more grooves for sufficiently strong joints. The machine is equipped with an electronic regulator for an even speed of the cutter. Standard delivery in a handy PVC case with cutting head in high quality carbide Ø100mm.

### DOWNLOADS

No download available.

### ADDITIONAL INFORMATION

<b>Weight</b>	2,6 kg
<b>Input Power</b>	800W
<b>Maximum grooving depth</b>	20mm
<b>No-load speed</b>	10000rpm
<b>Dimension cutter head</b>	100x22x4mm