

KREG CONCEALED HINGE JIG




€36,99 (excl. VAT)

The Kreg drilling jig for hinges is a special drilling jig for the simple installation of concealed (kitchen) cabinet hinges. This drilling jig allows you to quickly drill holes repeatedly for pot hinges (also called euro hinges). The drilling jig has accurate positioning of the hinge by means of index labels.

A drill bit with a carbide tip and a diameter of 35 mm is supplied with the jig as a standard.

SKU: KRE-KHI-HINGE-INT

GALERIJAFBEELDINGEN



The Kreg drilling jig for hinges is a special drilling jig for the simple installation of concealed (kitchen) cabinet hinges. The placement of these hinges requires precision, otherwise you will be looking at crooked (kitchen) cabinets for years.

This drilling jig allows you to quickly drill holes repeatedly for pot hinges (also called euro hinges). The drilling jig has accurate positioning of the hinge by means of index labels.

The pot drill runs in a shaft and the hole is therefore always straight and the depth stop ensures that the desired depth is always drilled. 2 adjustable cams ensure the correct offset of the hinge.

A drill bit with a diameter of 35 mm is supplied with the jig as a standard.

PRODUCT INFORMATION

- Special drilling jig for concealed cabinet hinges
- Precise positioning of the hinge by index labels
 - 35 mm drill bit included

DESCRIPTION

The Kreg drilling jig for hinges is a special drilling jig for the simple installation of concealed (kitchen) cabinet hinges. The placement of these hinges requires precision, otherwise you will be looking at crooked (kitchen) cabinets for years. This drilling jig allows you to quickly drill holes repeatedly for pot hinges (also called euro hinges). The drilling jig has accurate positioning of the hinge by means of index labels. The pot drill runs in a shaft and the hole is therefore always straight and the depth stop ensures that the desired depth is always drilled. 2 adjustable cams ensure the correct offset of the hinge. A drill bit with a diameter of 35 mm is supplied with the jig as a standard.

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight 1 kg