

# KREG EASY-SET DRILL BIT FOR POCKET-HOLE JIG



# €15,49 (excl. VAT)

This Kreg step drill is a replacement drill for the Kreg Pocket-Hole Jig 310 and 320.

The following measures are already indicated on the drill bit: ½", ¾"and 1 ½" (13, 19 and 38 mm). These sizes correspond to the sizes on the Kreg Pocket-Hole Jig 310 & 320 accessories, such as the stop collar. This allows you to drill to the correct depth every time. This replacement drill bit is suitable for materials with a minimum thickness of 12 mm and a maximum thickness of 38 mm.

**SKU:** KRE-KPHA300

This Kreg step drill is a replacement drill bit for the Kreg Pocket-Hole Jig 310 and 320.



The following measures are already indicated on the drill bit: ½", ¾"and 1 ½" (13, 19 and 38 mm). These measures correspond to the measure on the Kreg Pocket-Hole Jig 310 and 320 accessories, such as the stop collar. This allows you to drill to the correct depth every time. You don't have to estimate, nor do you have to worry about whether you are drilling correctly. This is how you make pocket holes easily and quickly!

This replacement drill bit is suitable for materials with a minimum thickness of 12 mm and a maximum thickness of 38 mm.

## **PRODUCT INFORMATION**

- Replacement drill bit for the Kreg Pocket-Hole Jig 310 and 320
- Measures on the drill correspond to those on the accessories of the Pocket-Hole Jig 310 and 320
  - Suitable for materials with a thickness of 12 to 38 mm

#### **DESCRIPTION**

This Kreg step drill is a replacement drill bit for the Kreg Pocket-Hole Jig 310 and 320. The following measures are already indicated on the drill bit: ½", ¾"and 1½" (13, 19 and 38 mm). These measures correspond to the measure on the Kreg Pocket-Hole Jig 310 and 320 accessories, such as the stop collar. This allows you to drill to the correct depth every time. You don't have to estimate, nor do you have to worry about whether you are drilling correctly. This is how you make pocket holes easily and quickly! This replacement drill bit is suitable for materials with a minimum thickness of 12 mm and a maximum thickness of 38 mm.

No video available for this product!

# **DOWNLOADS**

No download availble.

## **ADDITIONAL INFORMATION**

Weight 0,1 kg

Shank 6.35 mm

**Drilling diameter** 9.5 mm



Min. material thickness 13 mm

Max. material thickness 38 mm