

KREG PRECISION MITRE GAUGE SYSTEM



€129,99 (excl. VAT)

Why waste time calibrating a miter gauge when you can get a ready-to-use precision gauge? Our precision miter gauge does not require calibration and has positive stops at 0°, 10°, 22.5°, 30° and 45°, so that cutting a miter is now instantaneous. If you want to saw at a different angle, you can quickly adjust to a tenth of a degree with the highly accurate and easy-to-use Vernier measuring rod. You can choose the precision miter gauge or the precision miter gauge system with a 610 mm guide rail and Swing Stop™.

SKU: KRE-KMS7101

GALERIJAFBEELDINGEN



Why waste time calibrating a miter gauge when you can get a ready-to-use precision gauge? Our precision miter gauge does not require calibration and has positive stops at 0°, 10°, 22.5°, 30° and 45°, so that cutting a miter is now instantaneous. If you want to saw at a different angle, you can quickly adjust to a tenth of a degree with the highly accurate and easy-to-use Vernier measuring rod. You can choose the precision miter gauge or the precision miter gauge system with a 610 mm guide rail and Swing Stop™.

PRODUCT INFORMATION

- Guide rail: 610 mm, made of anodised aluminium
- Guide bar: 660 mm long, 9 mm thick and 19 mm wide
- Positive stops at: 0°, 10°, 22.5°, 30° and 45°
 - Factory calibrated

DESCRIPTION

Why waste time calibrating a miter gauge when you can get a ready-to-use precision gauge? Our precision

miter gauge does not require calibration and has positive stops at 0°, 10°, 22.5°, 30° and 45°, so that cutting a miter is now instantaneous. If you want to saw at a different angle, you can quickly adjust to a tenth of a degree with the highly accurate and easy-to-use Vernier measuring rod. You can choose the precision miter gauge or the precision miter gauge system with a 610 mm guide rail and Swing Stop™.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight

2 kg