

LIGHTWEIGHT ORBITAL SANDER LR284R



€183,01 (excl. VAT)

Light and powerful sander for sanding all types of surfaces. The ergonomic design ensures a perfect grip and comfortable working. Thanks to the perfect balancing, you can enjoy a reduced vibration level. Equipped with a large polyurethane sanding base (93x185mm). Because of these dimensions, the sanding base prevents the metal parts from damaging corners or edges during accurate work. On the other hand, the sanding surface is still perfectly suitable for sanding narrow surfaces, e.g. between mouldings. Equipped with an integrated dust extractor and dust bag.

SKU: VIR-LR284R

GALERIJAFBEELDINGEN



Light and powerful sander for sanding all types of surfaces. The ergonomic design ensures a perfect grip and comfortable working. Thanks to the perfect balancing, you can enjoy a reduced vibration level. Equipped with a large polyurethane sanding base (93x185mm). Because of these dimensions, the sanding base prevents the metal parts from damaging corners or edges during accurate work. On the other hand, the sanding surface is still perfectly suitable for sanding narrow surfaces, e.g. between mouldings. Equipped with an integrated dust extractor and dust bag.

Optionally, a base plate with Velcro is available.

PRODUCT INFORMATION

- Orbital sander
- Velcro plate or plate with clamps
 - Integrated dust extraction
 - Ergonomic design
 - High-quality end result

DESCRIPTION

Light and powerful sander for sanding all types of surfaces. The ergonomic design ensures a perfect grip and comfortable working. Thanks to the perfect balancing, you can enjoy a reduced vibration level. Equipped with a

large polyurethane sanding base (93x185mm). Because of these dimensions, the sanding base prevents the metal parts from damaging corners or edges during accurate work. On the other hand, the sanding surface is still perfectly suitable for sanding narrow surfaces, e.g. between mouldings. Equipped with an integrated dust extractor and dust bag. Optionally, a base plate with Velcro is available.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	1,5 kg
Input Power	180W
Working surface	93x185mm
Ø Orbit	2mm
No-load speed	12500rpm
Vibrations	25000/min