

MANUAL EDGEBANDER AG98E



€341,30 (excl. VAT)

Manual edgebander for edgebanding pre-glued PVC, melamine or veneer to panels. With guide on one side for high precision and great stability. The machine offers the possibility of surface gluing or with an excess on both sides. Setup time: less than a minute. This edgebander can be used on flat, concave or convex workpieces. With the help of a practical cutting system, it is easy to trim edges. Maximum thickness and width of the edge bands is 1x50mm. This machine is similar to the model AG98F but can also process upright edges or rabbets. With the help of the supplied attachment it is possible to use the machine on raised sides of maximum 40.5mm.

SKU: VIR-AG98E

GALERIJAFBEELDINGEN



Manual edgebander for edgebanding pre-glued PVC, melamine or veneer to panels. With guide on one side for high precision and great stability. The machine offers the possibility of surface gluing or with an excess on both sides. Setup time: less than a minute. This edgebander can be used on flat, concave or convex workpieces. With the help of a practical cutting system, it is easy to trim edges. Maximum thickness and width of the edge bands is 1x50mm. This machine is similar to the AG98F model but can handle raised edges or rabbets. With the help of the supplied attachment it is possible to use the machine on raised sides of maximum 40.5mm.

PRODUCT INFORMATION

- Manual edge bander
- Max thickness and width 1x50mm
 - For pre-glued edges
 - For rabbets
 - Cutting system
 - Heat gun

DESCRIPTION

Manual edgebander for edgebanding pre-glued PVC, melamine or veneer to panels. With guide on one side for high precision and great stability. The machine offers the possibility of surface gluing or with an excess on both sides. Setup time: less than a minute. This edgebander can be used on flat, concave or convex workpieces. With the help of a practical cutting system, it is easy to trim edges. Maximum thickness and width of the edge bands is 1x50mm. This machine is similar to the AG98F model but can handle raised edges or rabbets. With the help of the supplied attachment it is possible to use the machine on raised sides of maximum 40.5mm.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

| | |
|--------------------------------|--------------------|
| Weight | 2,7 kg |
| Min-max. height rabbet | 4,5-40,5mm |
| Max. width of edgebands | 50mm |
| Max. edgeband thickness | 1mm |
| Temperature settings | 1: 300°C, 2: 525°C |
| Air Flow | 400l/min |