

MITRE SAW WITH PULL FUNCTION M-SAW TT255SL




~~€412,39~~ **€350,54 (excl. VAT)**

The TT255SL is a mitre saw with pull function and the little sister of the TT305SLX. It is equipped with a noiseless 1600 W induction motor that requires no maintenance (which is a big advantage over the carbon brush motor in the smaller models) and has a pull function up to 300 mm, with a cutting height up to 60 mm.

SKU: 0MS255SL

GALERIJAFBEELDINGEN



The TT255SL is a mitre saw with pull function and the little sister of the TT305SLX. It is equipped with a noiseless 1600 W induction motor that requires no maintenance (which is a big advantage over the carbon brush motor in the smaller models) and has a pull function up to 300 mm, with a cutting height up to 60 mm.

The use of ball bearings on all joints ensures precise rotation of the table, head and tilting system. The saw has a die-cast aluminum body. The silent, maintenance-free 1600 W induction motor with belt drive delivers 30% more power and is 40% more silent than a carbon brush motor. The saw blade has a 255 mm diameter and 40 teeth. The turntable has an automatic and manual stop. The mitre indication is clear and tiltable.

The TT255SL is further equipped with a horizontal handle with control on the protective cover.

PRODUCT INFORMATION

- Silent, maintenance-free 1600 W induction motor delivers 30% more power and is 40% more silent
 - 255 mm saw blade with 40 teeth
- Pull function up to 300 mm and cutting height up to 60 mm
 - Clear and tiltable mitre indication
 - Die-cast aluminum body
- Ball bearings on all joints ensure precise rotation of the table, head and tilting system
 - Horizontal handle with control on protective cover

DESCRIPTION

The TT255SL is a mitre saw with pull function and the little sister of the TT305SLX. It is equipped with a noiseless 1600 W induction motor that requires no maintenance (which is a big advantage over the carbon brush motor in the smaller models) and has a pull function up to 300 mm, with a cutting height up to 60 mm. The use of ball bearings on all joints ensures precise rotation of the table, head and tilting system. The saw has a die-cast aluminum body. The silent, maintenance-free 1600 W induction motor with belt drive delivers 30% more power and is 40% more silent than a carbon brush motor. The saw blade has a 255 mm diameter and 40 teeth. The turntable has an automatic and manual stop. The mitre indication is clear and tiltable. The TT255SL is further equipped with a horizontal handle with control on the protective cover.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	20 kg
Dimensions	630 × 450 × 490 cm
Max. cutting thickness	60 mm
Input Power	1600 W

Cut 0° x 0°	300 x 60 mm
Cut 0° x 45°	212 x 60 mm
Cut 45° x 0°	300 x 50 mm
Cut 45° x 45°	212 x 50 mm
Diameter sawblade	255 mm