

## MORTISER TT200LBM 400 V






**€2 .913,00 (excl. VAT)**

The Mortiser TT200LBM has a fixed drilling table and an adjustable chuck assembly and is equipped with a miter guide. The chuck assembly can be angled (-45°/+45°). The chuck's direction of rotation is adjustable.

**SKU:** 0REBO200LBM2S

## GALERIJAFBEELDINGEN



The Mortiser TT200 LBM is a universal machine with a sturdy construction. The longitudinal and transverse movements of the chuck assembly can be controlled with the steering lever. With this machine, the workpiece is stationary and the chuck moves. The depth and width of the stop can be adjusted. The chuck assembly can be angled ( $-45^{\circ}/+45^{\circ}$ ). Easy height adjustment with the hand wheel. The table has a telescopic extension with rollers, so that larger workpieces can be supported perfectly. The machine has a West-cott chuck up to 20 mm and a quick-release clamp on the fixed table. It is equipped with a clear miter guide.

A 2-speed motor and a rotor for the fixed positions is also available to order.

Important: the chuck is both left- and right-turning. The direction of rotation is adjustable.

## PRODUCT INFORMATION

- Chuck assembly can be operated in all directions with the steering lever
  - Chuck assembly can be angled (-45°/+45°)
    - West-cott chuck up to 20 mm
  - Table has a telescopic extension with rollers
    - Height adjustment by handwheel
- Equipped with a quick-release clamp to hold the workpiece in place
  - Clear miter guide
- Rotor with 4 fixed positions (16, 22, 32 and 38 mm) (**to order**)
  - 2-speed motor (**to order**)
  - Left- and right-turning chuck (adjustable)

## DESCRIPTION

The Mortiser TT200 LBM is a universal machine with a sturdy construction. The longitudinal and transverse movements of the chuck assembly can be controlled with the steering lever. With this machine, the workpiece is stationary and the chuck moves. The depth and width of the stop can be adjusted. The chuck assembly can be angled (-45°/+45°). Easy height adjustment with the hand wheel. The table has a telescopic extension with rollers, so that larger workpieces can be supported perfectly. The machine has a West-cott chuck up to 20 mm and a quick-release clamp on the fixed table. It is equipped with a clear miter guide. A 2-speed motor and a rotor for the fixed positions is also available to order. Important: the chuck is both left- and right-turning. The direction of rotation is adjustable.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	180 kg
<b>Motor</b>	3 HP

<b>Voltage</b>	400 V
<b>Worktable</b>	600 x 320 mm
<b>Chuck</b>	20 mm
<b>Longitudinal range</b>	245 mm
<b>Transverse range</b>	205 mm
<b>Vertical range</b>	165 mm
<b>Tilt</b>	-45°, 45°, 90°