

OUTLET | BELT & DISC SANDER ON STAND



€495,04 €326,45 (excl. VAT)

SHOWROOM MODEL - NEW

The sander TT1220 can be used vertically, horizontally or at any angle. The large aluminium table can be tilted up to 45° and is equipped with a protractor.

SKU: OUTLET-HOL1220

GALERIJAFBEELDINGEN





The sander TT1220 can be used vertically, horizontally or at any angle. The large aluminium table can be tilted up to 45° and is equipped with a protractor. The work table is supported on both sides for precision use. It features a D handle for easy transport, and a quick-release sanding belt system for quick changes. The belt can be easily balanced thanks to the handy control knob. The machine also has a 60 mm extraction outlet.

This sander comes standard with an 80-grit sanding belt and disc. For the belt, grit 60, 100, 120 and 150 are also available. For the disc, grit 60, 100, 120, 150 and 220 are also available.

Can be used universally for the sanding of edges and surface and round grinding.



PRODUCT INFORMATION

- · Cast-iron base
- Can be used horizontally as well as vertically and under a specific angle
 - Tilting aluminum table with protractor
 - Quick-release sanding belt system for quick changes
 - 60 mm dust extraction outlet

DESCRIPTION

The sander TT1220 can be used vertically, horizontally or at any angle. The large aluminium table can be tilted up to 45° and is equipped with a protractor. The work table is supported on both sides for precision use. It features a D handle for easy transport, and a quick-release sanding belt system for quick changes. The belt can be easily balanced thanks to the handy control knob. The machine also has a 60 mm extraction outlet. This sander comes standard with an 80-grit sanding belt and disc. For the belt, grit 60, 100, 120 and 150 are also available. For the disc, grit 60, 100, 120, 150 and 220 are also available. Can be used universally for the sanding of edges and surface and round grinding.

No video available for this product!

DOWNLOADS

No download availble.

ADDITIONAL INFORMATION

Weight 50 kg

Tilt 45°

Input Power 750W

Grain K60, K80, K100, K120, K150, K220

Worktable 200 x 335 mm

Disc 255 mm



Sanding belt

1250 x 150 mm