

OUTLET | SPARKY DRILL AND CHISEL HAMMER SDS-MAX, 1200W, INCLUDING COFFER



~~€495,00~~ Original price was:
€495,00. €320,00 Current price is: **€320,00.**
 (excl. VAT)

This rotary hammer is designed for real, heavy-duty work. Chiselling and drilling into concrete are no problem for this strong machine. This drill is equipped with an electro-pneumatic function, which moves the drill forward in the material. This hammer function is stronger than in an ordinary drill. Equipped with an SDS quick-action chuck. Furthermore, the machine was equipped with an ergonomic handle with soft grip (both housing and handle are vibration-damping), magnesium gearbox, safety clutch and trigger speed control. The housing consists of one part (monoblock). The number of strokes per minute is 2800. Drilling into concrete up to 40 mm. Torque of 130 Nm. Overloading of the unit is indicated by means of an LED.

SKU: S-BP400E

GALERIJAFBEELDINGEN



This rotary hammer is designed for real, heavy-duty work. Chiselling and drilling into concrete are no problem for this strong machine. This drill is equipped with an electro-pneumatic function, which moves the drill forward in the material. This hammer function is stronger than in an ordinary drill. Equipped with an SDS quick-action chuck. Furthermore, the machine was equipped with an ergonomic handle with soft grip (both housing and handle are vibration-damping), magnesium gearbox, safety clutch and trigger speed control. The housing consists of one part (monoblock). The number of strokes per minute is 2800. Drilling into concrete up to 40 mm. Torque of 130 Nm. Overloading of the unit is indicated by means of an LED.

PRODUCT INFORMATION

- two functions hammering – chiselling
- number of strokes per min 2800 / speed 130 Nm
 - vibration absorbing monobloc
 - Magnesium gearbox

DESCRIPTION

This rotary hammer is designed for real, heavy-duty work. Chiselling and drilling into concrete are no problem for this strong machine. This drill is equipped with an electro-pneumatic function, which moves the drill forward in the material. This hammer function is stronger than in an ordinary drill. Equipped with an SDS quick-action chuck. Furthermore, the machine was equipped with an ergonomic handle with soft grip (both housing and handle are vibration-damping), magnesium gearbox, safety clutch and trigger speed control. The housing consists of one part (monoblock). The number of strokes per minute is 2800. Drilling into concrete up to 40 mm. Torque of 130 Nm. Overloading of the unit is indicated by means of an LED.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	3,00 kg
Input Power	1200W
revs per minute	(speed control) 120 – 250tr/min
strokes per minute	2800 strokes/min
drilling depth	40MM (concrete)