

OUTLET | MITER SAW WITH PULL FUNCTION AND TOP TABLE M-SAW TT305SLU




~~€785,12~~ **€549,59** (excl. VAT)

SHOWROOM MODEL

The TT305SLU has the same features as the pull-function mitre saw TT305SLX, but is additionally equipped with an extra-large top table that can be adjusted from 0 to 50 mm with a convenient control knob. It is equipped with a silent 1600 W induction motor that requires no maintenance and has a pull function of up to 350 mm, with a cutting height of up to 107 mm.

SKU: OUTLET-0MS305SLU

GALERIJAFBEELDINGEN



MODEL											
M-Saw TT305SLU	1600W	305mm 60T	0 - 50 mm	350x107mm	340x84mm	240x70mm	250x70mm	H=540mm L=500mm B=890mm	34KG		

The TT305SLU has the same features as the pull-function mitre saw TT305SLX, but is additionally equipped with an extra-large top table that can be adjusted from 0 to 50 mm with a convenient control knob.

It is equipped with a silent 1600 W induction motor that requires no maintenance (which is a big advantage over the carbon brush motor in the smaller models) and has a pull function of up to 350 mm, with a cutting height of up to 107 mm.

The use of ball bearings on all joints ensures precise rotation of the table, head and tilting system. The saw has a die-cast aluminum body and can be tilted up to 48° in 2 directions. The silent, maintenance-free 1600 W induction motor delivers high torque and is positioned at the rear, giving the saw a large cutting height (up to 107 mm). The saw blade has a diameter of 305 mm and 60 teeth. The side supports are extendable.

The TT305SLU is further equipped with a horizontal D handle.

PRODUCT INFORMATION

- Silent, maintenance-free 1600 W induction motor delivers 30% more power and is 40% more silent
 - 305 mm saw blade with 60 teeth
 - Large cutting height (up to 107 mm) due to the rear-mounted motor
- Extra large top table, adjustable from 0 to 50 mm with convenient control knob
 - Clear mitre indicator
- Saw can be tilted up to 48° in 2 directions
 - Die-cast aluminum body
- Ball bearings on all joints ensure precise rotation of the table, head and tilting system

DESCRIPTION

The TT305SLU has the same features as the pull-function mitre saw TT305SLX, but is additionally equipped with an extra-large top table that can be adjusted from 0 to 50 mm with a convenient control knob. It is equipped with a silent 1600 W induction motor that requires no maintenance (which is a big advantage over the carbon brush motor in the smaller models) and has a pull function of up to 350 mm, with a cutting height of up to 107 mm. The use of ball bearings on all joints ensures precise rotation of the table, head and tilting system. The saw has a die-cast aluminum body and can be tilted up to 48° in 2 directions. The silent, maintenance-free 1600 W induction motor delivers high torque and is positioned at the rear, giving the saw a large cutting height (up to 107 mm). The saw blade has a diameter of 305 mm and 60 teeth. The side supports are extendable. The TT305SLU is further equipped with a horizontal D handle.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	34 kg
Dimensions	580 × 890 × 540 cm
Max. cutting thickness	107 mm
Input Power	1600 W
Cut 0° x 0°	350 x 107 mm
Cut 0° x 45°	240 x 94 mm
Cut 45° x 0°	350 x 70 mm
Cut 45° x 45°	240 x 70 mm, 55 x 55 mm
Diameter sawblade	305mm