

OUTLET | SPARKY CONCRETE SANDER 15CM



~~€260,00~~ €172,25 (excl. VAT)

This concrete grinder was specially designed for grinding away concrete parts, sanding down old concrete layers or removing transitions between formwork and concrete runners. Optimal preparation for further coatings. The concrete sander has a metal housing and dust extraction. This extraction prevents dust nuisance, which in turn reduces the wear of the disc and keeps the pores of the concrete open. Equipped with a diamond head grain 24, a reliable 1200W motor. A blocking system has also been fitted so that the diamond heads can be changed safely. Vibration-damping, ergonomic handle (rotates 90°) for optimal handling and control of the device. An airflow cooling system reduces noise pollution to an absolute minimum. Max speed 9,500.

SKU: S-FB6

GALERIJAFBEELDINGEN



This concrete grinder was specially designed for grinding away concrete parts, sanding down old concrete layers or removing transitions between formwork and concrete runners. Optimal preparation for further coatings. The concrete sander has a metal housing and dust extraction. This extraction prevents dust nuisance, which in turn reduces the wear of the disc and keeps the pores of the concrete open. Equipped with a diamond head grain 24, a reliable 1200W motor. A blocking system has also been fitted so that the diamond heads can be changed safely. Vibration-damping, ergonomic handle (rotates 90°) for optimal handling and control of the device. An airflow cooling system reduces noise pollution to an absolute minimum. Max speed 9,500.

PRODUCT INFORMATION

- Metal housing and suction
- Locking system for changing the diamond head
 - Airflow cooling for less noise
 - Ergonomic design
- Complete with diamond head grain 24

DESCRIPTION

This concrete grinder was specially designed for grinding away concrete parts, sanding down old concrete layers or removing transitions between formwork and concrete runners. Optimal preparation for further coatings. The concrete sander has a metal housing and dust extraction. This extraction prevents dust nuisance, which in turn reduces the wear of the disc and keeps the pores of the concrete open. Equipped with a diamond head grain 24, a reliable 1200W motor. A blocking system has also been fitted so that the diamond heads can be changed safely. Vibration-damping, ergonomic handle (rotates 90°) for optimal handling and control of the device. An airflow cooling system reduces noise pollution to an absolute minimum. Max speed 9,500.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

| | |
|--------------------|----------|
| Weight | 2,9 kg |
| Input Power | 1200W |
| Speed | 9500 rpm |