

### PANEL SAW SLIDING COMFORT TT1300




**€2 .466,94 (excl. VAT)**

This compact panel saw from our comfort line with powerful 230V induction motor (3HP) is a very popular machine in many workshops. This model of panel saw has a heavy-duty cast iron worktable that provides very good flatness. The high-quality prismatic sliding system has a total cutting length of 1300 mm. The telescopic fence is equipped with a flip stop with fine adjustment. Both the cast-iron worktable and the prismatic sliding system have T-slots for inserting a mitre guide (supplied as standard). To adjust the height and tilt of the saw blade, the machine is equipped with large hand wheels. With knee stop at the cut-off position. The sliding system is easily removable. This way, you can easily store the machine when not in use.

Optionally available with a handy mobile kit TT99.

**SKU: 0SLCF1300**

## GALERIJAFBEELDINGEN



This compact panel saw from our comfort line is a very popular machine in many workshops. This model of panel saw has a heavy-duty cast iron worktable that provides very good flatness. In addition, an extension table is included as standard. This extension can be placed on both sides of the work table. The high-quality prismatic sliding system has a total cutting length of 1300 mm, which is the width of most large sheets. The cut-off truck is equipped with an extra roller so that you can easily work with large sheets. The telescopic fence is equipped with a flip stop with fine adjustment. The width guide is also easy to adjust with the help of a fine adjustment system.

Both the cast-iron worktable and the prismatic sliding system are equipped with T-slots for inserting a mitre guide. This mitre guide also comes standard with the machine. The saw blade is tiltable to a maximum of 45°. To adjust the height and tilt of the saw blade, the machine is equipped with large hand wheels. The Sliding Comfort TT1300 is equipped with a powerful, quiet 230V induction motor (3HP) with double belt drive and dovetail housing. To ensure safety, a knee stop has been installed at the working position. Finally, the dust cover has a transparent screen. This allows you to keep a clear view of the workpiece at all times during the grooving process and to work precisely. The sliding system is easily removable. This way, you can easily store the machine when not in use.

Optionally available with a handy mobile kit TT99.

### PRODUCT INFORMATION

- Flat, cast iron worktable with T-slot
  - Miter guide
- Sliding system (270 mm width) with T-slot
  - Guide sliding system 1300mm
    - Extra roller on runner
  - 230V induction motor (3HP)
    - Dovetail housing
    - Dual drive belt
  - Fine adjustment on guides
- Convenient, large swivel wheels for height and tilt adjustment of the saw blade
  - Knee stop
  - Transparent dust cover

### DESCRIPTION

This compact panel saw from our comfort line is a very popular machine in many workshops. This model of panel saw has a heavy-duty cast iron worktable that provides very good flatness. In addition, an extension table is included as standard. This extension can be placed on both sides of the work table. The high-quality prismatic sliding system has a total cutting length of 1300 mm, which is the width of most large sheets. The cut-off truck is equipped with an extra roller so that you can easily work with large sheets. The telescopic fence is equipped with a flip stop with fine adjustment. The width guide is also easy to adjust with the help of a fine adjustment system. Both the cast-iron worktable and the prismatic sliding system are equipped with T-slots for inserting a mitre guide. This mitre guide also comes standard with the machine. The saw blade is tiltable to a maximum of 45°. To adjust the height and tilt of the saw blade, the machine is equipped with large hand wheels. The Sliding

Comfort TT1300 is equipped with a powerful, quiet 230V induction motor (3HP) with double belt drive and dovetail housing. To ensure safety, a knee stop has been installed at the working position. Finally, the dust cover has a transparent screen. This allows you to keep a clear view of the workpiece at all times during the grooving process and to work precisely. The sliding system is easily removable. This way, you can easily store the machine when not in use. Optionally available with a handy mobile kit TT99.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	216 kg
Motor	3 HP
Voltage	230 V
No-load speed	3500rpm
Cutting depth 45°	60mm
Cutting depth 90 °	70mm
Table dimensions	345x800mm
Table (extension)	305x800mm
Table (rear)	310x500mm
Sliding table	600x450mm
Sliding length	1300mm