

PIHER - DOOR OR WINDOW CLAMP T-PROFILE



€172,96 - €320,21 (excl. VAT)

These very heavy door or window clamps are ideal for clamping doors, frames, assembly panels, windows, etc.

Entirely made of steel and cast iron, making it indestructible.

Extra strong with trapezoidal thread.

High clamping force of 1500 kg.

Available in different lengths.

SKU: N/A

VARIATIONS

Image	SKU	Description	Clamping capacity	Price
	PIH-08100		100cm	€172,96 (excl. VAT)
	PIH-08125		125cm	€186,54 (excl. VAT)
	PIH-08150		150cm	€201,19 (excl. VAT)
	PIH-08175		175cm	€213,25 (excl. VAT)

Image	SKU	Description	Clamping capacity	Price
	PIH-08200		200cm	€224,99 (excl. VAT)
	PIH-08225		225cm	€235,00 (excl. VAT)
	PIH-08250		250cm	€245,05 (excl. VAT)
	PIH-08275		275cm	€257,21 (excl. VAT)
	PIH-08300		300cm	€269,34 (excl. VAT)

Image	SKU	Description	Clamping capacity	Price
	PIH-08350		350cm	€293,88 (excl. VAT)
	PIH-08400		400cm	€320,21 (excl. VAT)

GALERIJAFBEELDINGEN



These very heavy door or window clamps are ideal for clamping doors, frames, assembly panels, windows, etc.

Entirely made of steel and cast iron, making it indestructible. A solution for every job. Easily adjustable jaws.
Very heavy T-shaped base of steel with reinforced nodular cast iron jaws. Extra strong with trapezoidal thread.
High clamping force of 1500 kg.
Available in different lengths.

PRODUCT INFORMATION

- High clamping force up to 1500 kg
- Extra strong with trapezoidal thread
 - Heavy T-profile 80x42mm
 - Anti-rust treated
 - Coated with epoxy paint
- Entirely made of steel and cast iron
- IPN section follows UNE36521 and EN10025 rules

DESCRIPTION

These very heavy door or window clamps are ideal for clamping doors, frames, assembly panels, windows, etc.
Entirely made of steel and cast iron, making it indestructible. A solution for every job. Easily adjustable jaws.
Very heavy T-shaped base of steel with reinforced nodular cast iron jaws. Extra strong with trapezoidal thread.
High clamping force of 1500 kg. Available in different lengths.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	N/A
Clamping capacity	100cm, 125cm, 150cm, 175cm, 200cm, 225cm, 250cm, 275cm, 300cm, 350cm, 400cm
Clamping force	1500kg

Clamping depth 8cm