

## PIHER - MAXIPRESS RT WITH REVERSIBLE JAWS - FOR PIPES Ø 30CM



**€112,48 - €192,62 (excl. VAT)**

The Maxipress RT is a cast iron clamp with fully protected double screw thread with reversible jaws for pipes Ø 30cm Maximum clamping force 1000kg.


Available in different lengths

**SKU:** N/A



VARIATIONS

| Image  | SKU       | Description | Clamping capacity | Price               |
|--|-----------|-------------|-------------------|---------------------|
|    | PIH-61603 |             | 30cm              | €112,48 (excl. VAT) |
|    | PIH-61605 |             | 50cm              | €121,89 (excl. VAT) |
|  | PIH-61606 |             | 60cm              | €126,59 (excl. VAT) |
|  | PIH-61608 |             | 80cm              | €131,05 (excl. VAT) |

| Image  | SKU       | Description | Clamping capacity | Price               |
|--|-----------|-------------|-------------------|---------------------|
|    | PIH-61610 |             | 100cm             | €136,54 (excl. VAT) |
|    | PIH-61612 |             | 120cm             | €141,24 (excl. VAT) |
|   | PIH-61615 |             | 150cm             | €148,34 (excl. VAT) |
|  | PIH-61620 |             | 200cm             | €161,87 (excl. VAT) |
|  | PIH-61625 |             | 250cm             | €177,20 (excl. VAT) |

| Image  | SKU       | Description | Clamping capacity | Price               |
|--|-----------|-------------|-------------------|---------------------|
|  | PIH-61630 |             | 300cm             | €192,62 (excl. VAT) |

GALERIJAFBEELDINGEN



The Maxipress RT is a cast iron clamp with fully protected double screw thread with reversible jaws for pipes Ø 30cm. Thanks to the fully closed screw thread, it is protected against external influences: pieces of concrete, steel splint, welding particles, etc. The double thread multiplies both speed and pressure capacity. The double thread provides a completely straight upward movement without torsion. In the rotating system of the protected double screw thread, a recess is provided to grease the screw. The Maxipress has round-shaped claws that allow you to work around corners or protrusions. The Maxipress is an extra resistant rolled steel bar treated with anti-rust. This clamp has a cast iron basin coated with epoxy paint, as well as a positioning system to prevent free fall of the claw. The Maxipress is also equipped with an ergonomic handle with 3D joint position.

## PRODUCT INFORMATION

- Reversible jaws
- For pipes max Ø 30cm
- Ergonomic handle with 3D joint position
- System with always fully protected thread: Doubles both speed and pressure capacity thanks to the double thread with triangular teeth
- Completely straight upward movement without torsion
- More pressure and grip than a standard head, even during angled clamping
- Protection against external influences: pieces of concrete, steel splint, welding particles, etc.
  - Position system to prevent free fall of the claw
- A recess is provided in the turning mechanism for greasing the screw
- Round-shaped claws that allow to work around corners or protrusions
  - Ribbed fixed support for ideal grip of pipes, profiles etc.
  - Anti-slip stop system on the moving jaw
- Extra resistant rolled steel bar (90kg / mm<sup>2</sup>)
  - Anti-rust treated

## DESCRIPTION

The Maxipress RT is a cast iron clamp with fully protected double screw thread with reversible jaws for pipes Ø 30cm. Thanks to the fully closed screw thread, it is protected against external influences: pieces of concrete, steel splint, welding particles, etc. The double thread multiplies both speed and pressure capacity. The double thread provides a completely straight upward movement without torsion. In the rotating system of the protected double screw thread, a recess is provided to grease the screw. The Maxipress has round-shaped claws that allow you to work around corners or protrusions. The Maxipress is an extra resistant rolled steel bar

treated with anti-rust. This clamp has a cast iron basin coated with epoxy paint, as well as a positioning system to prevent free fall of the claw. The Maxipress is also equipped with an ergonomic handle with 3D joint position.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

|                   |  |
|-------------------|--|
| Weight            | N/A  |
| Clamping capacity | 30cm, 50cm, 60cm, 80cm, 100cm, 120cm, 150cm, 200cm, 250cm, 300cm |
| Clamping depth    | 16cm   |
| Clamping force    | 1000kg   |