


PIHER - MAXIPRESS FT WITH REVERSIBLE JAWS - FOR PIPES Ø 20CM



€79,77 - €132,84 (excl. VAT)

The Maxipress FT is a cast iron clamp with reversible jaws for pipes max. Ø 20 cm, with fully protected double screw thread. Maximum clamping force 900kg.

Available in different lengths


SKU: N/A

VARIATIONS


Image	SKU	Description	Clamping capacity	Price
	PIH-60602		20cm	€79,77 (excl. VAT)
	PIH-60604		40cm	€87,06 (excl. VAT)
	PIH-60606		60cm	€92,80 (excl. VAT)
	PIH-60608		80cm	€99,18 (excl. VAT)

Image	SKU	Description	Clamping capacity	Price
	PIH-60610		100cm	€105,36 (excl. VAT)
	PIH-60612		120cm	€111,51 (excl. VAT)
	PIH-60615		150cm	€120,07 (excl. VAT)
	PIH-60620		200cm	€132,84 (excl. VAT)

GALERIJAFBEELDINGEN



Max. Ø 20cm



The Maxipress FT is a cast iron clamp with fully protected double thread with reversible jaws for pipes Ø 20cm. Thanks to the fully closed screw thread, it is protected against external influences: pieces of concrete, steel splint, welding particles, etc. The double thread multiplies both speed and pressure capacity. The double thread provides a completely straight upward movement without torsion. In the rotating system of the protected double screw thread, a recess is provided to grease the screw. The Maxipress has round-shaped claws that allow you to work around corners or protrusions. The Maxipress is an extra resistant rolled steel bar treated with anti-rust. This clamp has a cast iron basin coated with epoxy paint, as well as a positioning system to prevent free fall of the claw. The Maxipress is also equipped with an ergonomic handle with 3D joint position.

PRODUCT INFORMATION

- Reversible jaws
 - for pipes max. Ø 20cm
- Ergonomic handle with 3D joint position
- System with alwaysfully protected thread: Doubles both speed and pressure capacity thanks to the double thread with triangular teeth

Completely straight upward movement without torsion

More pressure and grip than a standard head, even during angled clamping

Protection against external influences: pieces of concrete, steel splint, welding particles, etc.

- Position system to prevent free fall of the claw
- A recess is provided in the turning mechanism for greasing the screw
- Round-shaped claws that allow to work around corners or protrusions
 - Ribbed fixed support for ideal grip of pipes, profiles etc.
 - Anti-slip stop system on the moving jaw
 - Extra resistant rolled steel bar (90kg / mm²)
 - Anti-rust treated

DESCRIPTION

The Maxipress FT is a cast iron clamp with fully protected double thread with reversible jaws for pipes Ø 20cm. Thanks to the fully closed screw thread, it is protected against external influences: pieces of concrete, steel splint, welding particles, etc. The double thread multiplies both speed and pressure capacity. The double thread provides a completely straight upward movement without torsion. In the rotating system of the protected double screw thread, a recess is provided to grease the screw. The Maxipress has round-shaped claws that allow you to work around corners or protrusions. The Maxipress is an extra resistant rolled steel bar treated with anti-rust. This clamp has a cast iron basin coated with epoxy paint, as well as a positioning system to prevent free fall of the claw. The Maxipress is also equipped with an ergonomic handle with 3D joint position.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	N/A
Clamping capacity	20cm, 40cm, 60cm, 80cm, 100cm, 120cm, 150cm, 200cm
Clamping depth	12cm
Clamping force	900kg