


## PIHER - PANEL CLAMP MOD. H



**€65,03 - €141,43 (excl. VAT)**

These extra sturdy panel clamps are ideal for clamping cabinet doors, frames, assembly panels, etc.  
Entirely made of steel and cast iron, making it indestructible.

High clamping force of 2500 kg.

Available in different lengths.

**SKU:** N/A



### VARIATIONS

Image	SKU	Description	Clamping capacity	Price
	PIH-23050		50cm	€65,03 (excl. VAT)
	PIH-23075		75cm	€72,65 (excl. VAT)
	PIH-23100		100cm	€80,31 (excl. VAT)
	PIH-23125		125cm	€87,92 (excl. VAT)
	PIH-23150		150cm	€95,58 (excl. VAT)

Image	SKU	Description	Clamping capacity	Price
	PIH-23175		175cm	€103,18 (excl. VAT)
	PIH-23200		200cm	€110,88 (excl. VAT)
	PIH-23225		225cm	€118,51 (excl. VAT)
	PIH-23250		250cm	€126,16 (excl. VAT)
	PIH-23275		275cm	€133,80 (excl. VAT)

Image	SKU	Description	Clamping capacity	Price
	PIH-23300		300cm	€141,43 (excl. VAT)

### GALERIJAFBEELDINGEN



These extra sturdy panel clamps are ideal for climbing cabinet doors, frames, assembly panels, etc. Entirely made of steel and cast iron, making it indestructible. A solution for every job. Easily adjustable jaws. Extra resistant rolled steel bar (90KG / mm<sup>2</sup>), treated against rust and jaws coated with epoxy paint.

High clamping force of 2500 kg.

Available in different lengths.

## PRODUCT INFORMATION

- High clamping force up to 2500 kg
- Extra resistant rolled steel bar (90KG / mm<sup>2</sup>)
  - Anti-rust treated
  - Jaws coated with epoxy paint
- Entirely made of steel and cast iron

## DESCRIPTION

These extra sturdy panel clamps are ideal for climbing cabinet doors, frames, assembly panels, etc. Entirely made of steel and cast iron, making it indestructible. A solution for every job. Easily adjustable jaws. Extra resistant rolled steel bar (90KG / mm<sup>2</sup>), treated against rust and jaws coated with epoxy paint. High clamping force of 2500 kg. Available in different lengths.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

<b>Weight</b>	N/A
<b>Clamping capacity</b>	50cm, 75cm, 100cm, 125cm, 150cm, 175cm, 200cm, 225cm, 250cm, 275cm, 300cm
<b>Clamping force</b>	2500kg
<b>Clamping depth</b>	6cm