

## PLANER THICKNESSER TRIPLE MEDIUM TT260




**€1 .623,97 (excl. VAT)**

Powerful, robust surface planing and thicknessing machine with induction motor, suitable for every workshop. This machine is available with a 230V motor and delivers 3HP. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°.

This machine is equipped with planing blades of 1.5mm thickness as standard. Thicker planing blades (3mm) are available on request.

**SKU:** 0TCF260S

## GALERIJAFBEELDINGEN



Powerful, robust surface planing and thickening machine with induction motor, suitable for every workshop. This machine is available with a 230V motor and delivers 3HP. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. In this way, you can make maximum use of the capabilities of the thickening machine.

This thickening machine is easily adjustable by means of a smoothly rotating, steplessly spinning wheel. Equipped with a millimetre scale so you can easily read off the correct height. During work, the thickening unit remains in position without any problems thanks to the locking device. In combination with the feed speed of 5m/min, this ensures a very smooth, even finish on all your workpieces.

For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø100mm outlet. This machine is equipped with planing blades of 1.5mm thickness as standard. Thicker planing blades (3mm) are available on request.

## PRODUCT INFORMATION

- Compact and robust machine
  - Planing width 260mm
- Heavy duty planer block with three blades
  - Solid cast iron worktables
  - Aluminium guide (tiltable)
- Equipped with connection for dust extraction
  - Work tables can be folded away

## DESCRIPTION

Powerful, robust surface planing and thickening machine with induction motor, suitable for every workshop. This machine is available with a 230V motor and delivers 3HP. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. In this way, you can make maximum use of the capabilities of the thickening machine. This thickening machine is easily adjustable by means of a smoothly rotating, steplessly spinning wheel. Equipped with a millimetre scale so you can easily read off the correct height. During work, the thickening unit remains in position without any problems thanks to the locking device. In combination with the feed speed of 5m/min, this ensures a very smooth, even finish on all your workpieces. For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø100mm outlet. This machine is equipped with planing blades of 1.5mm thickness as standard. Thicker planing blades (3mm) are available on request.

No video available for this product!

## DOWNLOADS

No download available.

## ADDITIONAL INFORMATION

### Weight

162 kg

<b>Dimensions</b>	115,5 × 52,5 × 95,5 cm
<b>Motor</b>	3 HP
<b>Voltage</b>	230 V
<b>Planing width</b>	260 mm
<b>Planing table dimensions</b>	1110x265mm
<b>Ø planing shaft</b>	75mm
<b>Nominal speed of planing axis</b>	4000rpm
<b>Number of planing knives</b>	3
<b>Planing blade dimensions</b>	260×18,5x1mm
<b>Max. planing depth</b>	3mm
<b>Thicknessing table dimensions</b>	600x258mm
<b>Throughput height thicknesser</b>	190mm
<b>Depth of cut thicknesser</b>	2mm
<b>Feed speed thicknesser</b>	5m/min