

PLANER THICKNESSER TRIPLE TT320ADM



€2 .805,78 (excl. VAT)

Entry-level planer thicknesser from the Revolution range of professional woodworking machines. Powerful and robust machine with a three-phase 400V induction motor that delivers 4.5 HP. This surface planer thicknesser has a planing capacity of up to 320 mm and a thickening table with a maximum passage height of 230 mm. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times.

The tables are hinged independently and can be raised. For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°.

This machine is equipped as standard with planing knives of 3 mm thickness.

SKU: REDO320ADM

Entry-level planer thicknesser from the Revolution range of professional woodworking machines. Powerful and robust machine with a three-phase 400V induction motor that delivers 4.5 HP. This surface planer thicknesser has a planing capacity of up to 320 mm and a thicknessing table with a maximum passage height of 230 mm. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. In this way, you can make maximum use of the capabilities of the thicknessing machine.

This thicknessing machine is easily adjustable by means of a smoothly rotating, steplessly spinning wheel. Equipped with a millimetre scale so you can easily read off the correct height. During work, the thicknessing unit remains in position without any problems thanks to the locking device. In combination with the feed speed of 7m/min, this ensures a very smooth, even finish on all your workpieces.

For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø120mm outlet. This machine is equipped as standard with planing knives of 3 mm thickness.

PRODUCT INFORMATION

- Professional machine
- Planing width 310mm
- Heavy duty planer block with three blades
 - Solid cast iron worktables
 - Aluminium guide (tiltable)
- Equipped with connection for dust extraction
 - Work tables can be folded away

DESCRIPTION

Entry-level planer thicknesser from the Revolution range of professional woodworking machines. Powerful and robust machine with a three-phase 400V induction motor that delivers 4.5 HP. This surface planer thicknesser has a planing capacity of up to 320 mm and a thicknessing table with a maximum passage height of 230 mm. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are

fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. In this way, you can make maximum use of the capabilities of the thickening machine. This thickening machine is easily adjustable by means of a smoothly rotating, steplessly spinning wheel. Equipped with a millimetre scale so you can easily read off the correct height. During work, the thickening unit remains in position without any problems thanks to the locking device. In combination with the feed speed of 7m/min, this ensures a very smooth, even finish on all your workpieces. For very precise planing, this machine is equipped with a sturdy, aluminium guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø120mm outlet. This machine is equipped as standard with planing knives of 3 mm thickness.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	315 kg
Dimensions	120 × 160 × 70 cm
Motor	4.5 HP
Voltage	3 x 400V
Planing width	320mm
Planing table dimensions	1500x320mm
Ø planing block	85mm
Nominal speed of planing axis	5000rpm
Number of planing knives	3
Planing blade dimensions	320x35x3mm
Max. planing depth	4mm

Thicknesser table dimensions 316x600mm

Height thicknesser 230mm

Depth of cut thicknesser 3mm

Feed speed thicknesser 7m/min