

PLANER THICKNESSER TRIPLE TT41NFS



€4 .793,38 (excl. VAT)

Planer thicknesser from the Revolution range of professional woodworking machines. Powerful and robust machine with a three-phase 400V induction motor that delivers 5.5 HP. This planer thicknesser has a planing capacity of up to 410 mm and a thicknessing table with a maximum passage height of 225 mm.

Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. Unique to this table are the worktops that fold out vertically. The table can therefore be placed against the wall without any problems. As you do not need to remove the guide, this table can also switch very quickly.

With professional guide.


This machine is equipped as standard with planing knives of 3 mm thickness.

SKU: REDO41NFS84

GALERIJAFBEELDINGEN



Optie / Option
Boortafel / Drilling table / Table à mortaiser



Planer thicknesser from the Revolution range of professional woodworking machines. Powerful and robust machine with a three-phase 400V induction motor that delivers 5.5 HP. This planer thicknesser has a planing capacity of up to 410 mm and a thicknessing table with a maximum passage height of 225 mm. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. Unique to this table are the work tables that fold out vertically. The table can therefore be placed against the wall without any problems. As you do not need to remove the guide, this table can switch very quickly.

When the tables are folded open, you can make maximum use of the capabilities of the thicknessing machine.

This thicknessing machine is easily adjustable by means of a smoothly rotating, steplessly spinning wheel. Equipped with a millimetre scale so you can easily read off the correct height. During work, the thicknessing unit remains in position without any problems thanks to the locking device. In combination with the feed speed of 6m/min, this ensures a very smooth, even finish on all your workpieces.

In order to be able to plan very precisely, this machine is equipped with a sturdy aluminum profi guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø120mm outlet. This machine is

equipped as standard with planing knives of 3 mm thickness.

PRODUCT INFORMATION

- Professional machine
- Planing width 410mm
- Heavy duty planer block with three blades
 - Solid cast iron worktables
 - Aluminium guide (tiltable)
- Equipped with connection for dust extraction
 - Work tables open vertically
- Large time savings when changing over

DESCRIPTION

Planer thicknesser from the Revolution range of professional woodworking machines. Powerful and robust machine with a three-phase 400V induction motor that delivers 5.5 HP. This planer thicknesser has a planing capacity of up to 410 mm and a thicknessing table with a maximum passage height of 225 mm. Thanks to its sturdy steel design with cast iron worktops, it can withstand heavy daily use. The work tables are fitted with a heavy profile at the bottom to maintain their flatness at all times. The tables are hinged independently and can be raised. Unique to this table are the work tables that fold out vertically. The table can therefore be placed against the wall without any problems. As you do not need to remove the guide, this table can switch very quickly. When the tables are folded open, you can make maximum use of the capabilities of the thicknessing machine. This thicknessing machine is easily adjustable by means of a smoothly rotating, steplessly spinning wheel. Equipped with a millimetre scale so you can easily read off the correct height. During work, the thicknessing unit remains in position without any problems thanks to the locking device. In combination with the feed speed of 6m/min, this ensures a very smooth, even finish on all your workpieces. In order to be able to plan very precisely, this machine is equipped with a sturdy aluminum profi guide at the top. This guide can be set at an angle with two stops for 90° and 45°. With the help of the heavy planing block, equipped with three planing blades, a good finish is always guaranteed. The chips are discharged via a hinged hood. This hood can be connected to a dust extraction system using the Ø120mm outlet. This machine is equipped as standard with planing knives of 3 mm thickness.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	450 kg
Dimensions	145 × 205 × 85 cm
Motor	5.5 HP
Voltage	3 x 400V
Planing width	410mm
Planing table dimensions	1800x410mm
Ø planing shaft	100mm
Number of planing knives	4
Planing blade dimensions	410x35x3mm
Max. planing depth	5mm
Thickening table dimensions	700x406mm
Throughput height thickener	225mm
Depth of cut thickener	4mm
Feed speed thickener	6m/min