

**PLUNGE BIT WITH UPPER BALL BEARING GUIDE (Z=2) SHANK 12MM - Ø19MM**





**€41,70 (excl. VAT)**

Straight router bits from Sistemi Klein ensure smooth and well-finished edges. Suitable for trimming and milling with portable routers. Work more easily using the ball bearing on the shank. The placement of the cutting edges ensures that this router bit can also do machining which requires plunging.

Two flutes provide fast cutting and good chipping ejection. Thanks to the cutting edges in high quality carbide metal, you can use this bit effortlessly on most types of wood.

**SKU:** KL-E131190R

## GALERIJAFBEELDINGEN



Straight router bits from Sistemi Klein ensure smooth and well-finished edges. Suitable for trimming and milling with portable routers. Work more easily using the ball bearing on the shank. The placement of the cutting edges ensures that this router bit can also do machining which requires plunging.

Two flutes provide fast cutting and good chipping ejection. Thanks to the cutting edges in high quality carbide metal, you can use this bit effortlessly on most types of wood.

## PRODUCT INFORMATION

- HW carbide cutting edges
- For most wood types
- For router milling machines or CNC machines

## DESCRIPTION

Straight router bits from Sistemi Klein ensure smooth and well-finished edges. Suitable for trimming and milling with portable routers. Work more easily using the ball bearing on the shank. The placement of the cutting edges ensures that this router bit can also do machining which requires plunging. Two flutes provide fast cutting and good chipping ejection. Thanks to the cutting edges in high quality carbide metal, you can use this bit effortlessly on most types of wood.

No video available for this product!

### DOWNLOADS

No download available.

### ADDITIONAL INFORMATION

|                       |         |
|-----------------------|---------|
| <b>Weight</b>         | 0,05 kg |
| <b>diameter</b>       | 19mm    |
| <b>Cutting length</b> | 11mm    |
| <b>Length</b>         | 64mm    |
| <b>Shank</b>          | 12mm    |
| <b>Cutting edges</b>  | 2       |