

PNEUMATIC DRILLING MACHINE FOR LINE BORING LINE DRILLER TT21PLUS



€4 .541,32 (excl. VAT)

The Line Driller TT21Plus is a drilling machine for line boring with 21 spindles and a 1500 W induction motor. Pneumatic operation with foot pedal.

SKU: 0LD21PLUS3

GALERIJAFBEELDINGEN



The Line Driller TT21Plus is a drilling machine for line boring with 21 spindles and pneumatic operation.

The machine has a powerful 1500 W induction motor with a module of 21 bores at a time, each with a spacing of 32 mm. The aluminum guides are equipped with handy flip stops at 1,5 or 3 meters. The machine has a stable cast iron work table of 890 x 625 mm and is equipped with pneumatic clamping (by means of 2 springs) with possibility to adjust the pressure. It can be used vertically for line boring and horizontally for dowel boring, and tilted 45° for mitered connections with pins. As a standard, the machine comes with 21 quick-change chucks. The lowering speed of the drilling module can be adjusted, ensuring splinter-free drilling.

Optionally, an easy-to-install module (adapter) for hinge boring (Blum, Hettich, Salice, Grass, Mepla, Mini, Maxi) is also available.

PRODUCT INFORMATION

- Powerful 1500 W induction motor
- Rotation speed of spindle: 2850 rpm
 - Pneumatic operation with pedal
- Pneumatic clamping with possibility to adjust the pressure
 - 21-spindle module (11 right-turning + 10 left-turning)
- Aluminum guides, equipped with handy flip stops at 1,5 or 3 meters
 - Easy-to-assemble module for hinge boring
 - Large work surface (890 x 625 mm)
- The machine is supplied **without** the adapter for hinge boring
- Adapter for hinge boring (Blum, Hettich, Salice, Grass, Mepla, Mini, Maxi) (**optional**)
 - Boring depth up to 32 mm

DESCRIPTION

The Line Driller TT21Plus is a drilling machine for line boring with 21 spindles and pneumatic operation. The machine has a powerful 1500 W induction motor with a module of 21 bores at a time, each with a spacing of 32 mm. The aluminum guides are equipped with handy flip stops at 1,5 or 3 meters. The machine has a stable cast iron work table of 890 x 625 mm and is equipped with pneumatic clamping (by means of 2 springs) with possibility to adjust the pressure. It can be used vertically for line boring and horizontally for dowel boring, and tilted 45° for mitered connections with pins. As a standard, the machine comes with 21 quick-change chucks. The lowering speed of the drilling module can be adjusted, ensuring splinter-free drilling. Optionally, an easy-to-install module (adapter) for hinge boring (Blum, Hettich, Salice, Grass, Mepla, Mini, Maxi) is also available.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	380 kg
Dimensions	1000 × 1000 × 1100 cm

Worktable	890 x 625 mm
Voltage	400 V
Line boring	21 spindles (32 mm apart)
Boring depth	Up to 32 mm
Input Power	1500W