

SANDER BELT GRINDER TT3000LBS




€6 .564,60 (excl. VAT)

The TT3000LBS comes standard with 2 sanding speeds, is both left and right-turning and equipped with an electric height adjustment of the sanding table.

SKU: RESB3000LBS2

GALERIJAFBEELDINGEN



7100x150 mm



This sander comes standard with 2 sanding speeds. It is both left and right-turning and equipped with an electric (automatic) height adjustment of the sanding table. The machine has 3 motors: for the belt (2 speeds), the height adjustment of the table and the extraction unit. The sturdy and heavy duty construction of the frame ensures good stability. The table can be moved over the steel guides.

PRODUCT INFORMATION

- Motor sanding belt: 400 V / 3 HP
- Motor extraction unit: 400 V / 0,75 HP
- Motor height adjustment : 400 V / 0,75 HP
- Electric (automatic) height adjustment (600 mm)
 - Belt speed: 18-36 m/sec
- Dimensions work table: 3000 x 820 mm

DESCRIPTION

This sander comes standard with 2 sanding speeds. It is both left and right-turning and equipped with an electric (automatic) height adjustment of the sanding table. The machine has 3 motors: for the belt (2 speeds), the height adjustment of the table and the extraction unit. The sturdy and heavy duty construction of the frame ensures good stability. The table can be moved over the steel guides.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	480 kg
Dimensions	4200 × 1600 × 1500 cm
Worktable	3000 x 820 mm
Sanding belt	8005 x 150 mm
Motor	0,75 HP, 4 HP
Voltage	400 V
Belt speed	18-36 m/sec