

SAW BLADE FOR PVC AND PLEXIGLASS Ø300MM - BORE 30MM





€114,00 - €118,00 (excl. VAT)



Saw blade with innovative alternate trap teeth (WZ/FA) and a 3° negative hook angle. This saw blade is well suited for cutting of thin plastics, acrylics (plexiglass), PVC or plywood. Available with different number of teeth.

SKU: N/A

VARIATIONS

Image	SKU	Description	Number of teeth	Price
	KL-MGS30009630		96	€118,00 (excl. VAT)
	KL-MGS30008430		84	€114,00 (excl. VAT)

GALERIJAFBEELDINGEN



Saw blade with innovative alternate trap teeth (WZ/FA) and a 3° negative hook angle. This saw blade is well suited for cutting of thin plastics, acrylics (plexiglass), PVC or plywood. No noise.

Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing. A high number of teeth calls for a lower operating speed but guarantees a clean cut. Available with different number of teeth.

PRODUCT INFORMATION

- Fine cut HW saw blade
- Innovative WZ/FA alternate trap teeth
- For acrylics (plexiglas) or other plastic materials
 - No noise

DESCRIPTION

Saw blade with innovative alternate trap teeth (WZ/FA) and a 3° negative hook angle. This saw blade is well suited for cutting of thin plastics, acrylics (plexiglass), PVC or plywood. No noise. Make sure to use the right amount of teeth to achieve optimal results of your project. A low number of teeth is suited for fast-paced and rough sawing. A high number of teeth calls for a lower operating speed but guarantees a clean cut. Available with different number of teeth.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	1 kg
Diameter sawblade	300mm
Shaft diameter	30 mm
Thickness teeth	2,6mm
Thickness Sawblade	2,0mm
Number of teeth	84, 96

Pin holes

PH02