

BANDSAW BLADE TEMPERED STEEL (6 TPI - 1710 MM) - FOR PBS290



€33,05 (excl. VAT)

Saw ribbon with length 1710 mm for use on the PBS290 bandsaw machine from Tendotools. This saw blade has 6 TPI (teeth per inch) and has a width of 6, 10, 13, 16 or 20 mm. This bandsaw blade in tempered Flexback steel is very suitable for multipurpose sawing. Use this saw ribbon for both wood and plastics. The teeth of the saw blade were given an additional heat treatment for increased hardness. This keeps the band very supple and increases your cutting comfort thanks to the hardness of the teeth.

SKU: N/A

VARIATIONS

Image	SKU	Description	Width	Price
	3LZFB290101710		10mm	€33,05 (excl. VAT)
	3LZFB290131710		13mm	€33,05 (excl. VAT)
	3LZFB290161710		16mm	€33,05 (excl. VAT)
	3LZFB290201710		20mm	€33,05 (excl. VAT)

Image	SKU	Description	Width	Price
	3LZFB290061710		6mm	€33,05 (excl. VAT)

GALERIJAFBEELDINGEN



Saw ribbon with length 1710 mm for use on the PBS290 bandsaw machine from Tendotools. This saw blade has 6 TPI (teeth per inch) and has a width of 6, 10, 13, 16 or 20 mm. This bandsaw blade in tempered Flexback steel is very suitable for multipurpose sawing. Use this saw ribbon for both wood and plastics. The teeth of the saw blade were given an additional heat treatment for increased hardness. This keeps the band very supple and increases your cutting comfort thanks to the hardness of the teeth.

PRODUCT INFORMATION

- 6 TPI
- Length 1710 mm
- Width 6, 10, 13, 16 and 20 mm
- For PBS290

DESCRIPTION

Saw ribbon with length 1710 mm for use on the PBS290 bandsaw machine from Tendotools. This saw blade has 6 TPI (teeth per inch) and has a width of 6, 10, 13, 16 or 20 mm. This bandsaw blade in tempered Flexback steel is very suitable for multipurpose sawing. Use this saw ribbon for both wood and plastics. The teeth of the saw blade were given an additional heat treatment for increased hardness. This keeps the band very supple and increases your cutting comfort thanks to the hardness of the teeth.

No video available for this product!

DOWNLOADS

No download available.

ADDITIONAL INFORMATION

Weight	0,5 kg
Length	1750mm
Width	6mm, 10mm, 13mm, 16mm, 20mm